

## Zaranou Continues to Deliver Continuity Initial Phase Three Drilling Results Received Côte d'Ivoire, West Africa

IronRidge Resources Limited (AIM: IRR, "IronRidge" or the "Company"), the African focussed minerals exploration company, is pleased to report initial high-grade and broad low-grade drilling results from the third phase drilling programme at the Ehuasso and Ebilassokro and targets, both within the Zaranou Gold Project area ("Zaranou"). The license borders with Ghana and is along strike from significant operating gold mines including Chirano (5Moz), Bibiani (5.5Moz) and Ahafo (17Moz).

### HIGHLIGHTS:

- **Initial reverse circulation ("RC") and aircore ("AC") drilling results for 4m composites over the Ehuasso and Ebilassokro targets from the third phase drilling programme currently underway have been received, including highlights reported at a 0.1g/t cut-off and maximum 4m of internal dilution:**
  - ZARC0046: 12m at 6.15g/t from 108m including 4m at 3.5g/t and 4m at 14.5g/t
  - ZARC0029: 36m at 1.43g/t from 36m including 4m at 1.1g/t and 4m at 7.4g/t and 4m at 2.7g/t
  - ZARC0027: 28m at 1.47g/t from 48m including 4m at 8.4g/t
  - ZARC0032: 64m at 0.38g/t from 0m
  - ZARC0045: 60m at 0.4g/t from 44m
  - ZARC0033: 40m at 0.47g/t from 48m
  - ZAAC0572: 24m at 0.74g/t from 20m including 4m at 2.5g/t and 4m at 1g/t
  - ZARC0047: 52m at 0.32g/t from 40m
  - ZARC0051: 12m at 1.3g/t from 96m including 4m at 1.3g/t and 4m at 2.4g/t
- **Mineralisation continuity now tested over a 550m strike at the Ehuasso Main target at 80m section spacing, with mineralisation open to the south-west and at open at depth; Phase 3 infill RC drilling ongoing.**
- **High-grade and broad low-grade intersections reported within both oxide and fresh mineralisation in drilling to date at the Ehuasso target.**
- **Third phase 50,000m RC and AC drilling programme now well underway with three drill rigs active on site at the Ehuasso, Yakassé and M'basso targets.**

Commenting on the Company's latest progress, Vincent Mascolo, Chief Executive Officer of IronRidge, said:

***"Initial results from the third phase RC infill drilling programme continue to confirm continuity along strike and at depth.***

***"Our early ounces strategy continues to target weathered oxide mineralisation, with initial observations suggesting it continues to average depths of 50m and up to 90m, indicative of simple mining and processing at low operational and capital costs.***

**“With only 12km of the 47km of identified strike having been drill tested to date, an additional 8km strike of hard-rock artisanal workings and 27km of soil anomalies remain untested with the potential to deliver a pipeline of further discoveries.**

**“The third phase 50,000m combined AC and RC programme is now well underway with three drill rigs active on site.”**

### Third Phase Drill Programme

Initial 4m composite RC and AC results for the ongoing third phase programme at the Zaranou license have been received. Drilling has returned multiple high-grade and broad low-grade drill intersections over the Ehuasso target in RC drilling and additional intersections in AC drilling over the Ebilassokro exploration target.

Highlight gold drill intersections at greater than 5 gram-meters for the 4m composite results in RC and AC drilling at the Ehuasso and Ebilassokro targets, are reported in **Table 1, Figure 1** and **Figure 2** below. All intersections reported in **Table 1** and **Appendix 1** are at a 0.1g/t cut-off and maximum 4m of internal dilution for the 4m composite samples.

All sampling was completed at the drill site and consisted of initial 4m composites submitted for analysis, of which all composites greater than 0.1g/t gold will be re-submitted for analysis at 1m intervals from retained primary samples at the project site. ALS laboratory completed sample preparation in Côte d’Ivoire and sample analysis in Burkina Faso, with results passing internal and laboratory QA/QC protocols, providing confidence in reported results. All AC and RC drilling to date has been completed at -55 to -60 degrees dip.

Cross sections for reported drill results at Ehuasso and Ebilassokro are included in **Appendix 2**.


**Table 1: Newly reported Ehuasso and Ebilassokro target gold drill intersection highlights at greater than 5 gram-meters for 4m RC and AC composite samples at a 0.1g/t cut-off and maximum 4m of internal dilution.**

Prospect	Section_ID	Hole_ID	Drill Type	End of Hole_m	From _m	Interval To_m	Grade _g/t	Intersection	Sample type	Int. Dilution
Ehuasso	ZAR_06160	ZARC0046	RC	150	108	120.00	12	6.15 73.84 ZARC0046: 12m at 6.15g/t from 108m incl. 4m @ 3.5g/t, 14.5g/t	4msp	4m c/o 0.1
Ehuasso	ZAR_06960	ZARC0029	RC	204	36	72.00	36	1.43 51.6 ZARC0029: 36m at 1.43g/t from 36m incl. 4m @ 1.1g/t, 7.4g/t, 2.7g/t	4msp	4m c/o 0.1
Ehuasso	ZAR_07120	ZARC0027	RC	200	48	76.00	28	1.47 41.2 ZARC0027: 28m at 1.47g/t from 48m incl. 4m @ 8.4g/t	4msp	4m c/o 0.1
Ehuasso	ZAR_06720	ZARC0032	RC	129	0	64.00	64	0.38 24.48 ZARC0032: 64m at 0.38g/t from 0m	4msp	4m c/o 0.1
Ehuasso	ZAR_06880	ZARC0045	RC	126	44	104.00	60	0.40 23.92 ZARC0045: 60m at 0.4g/t from 44m	4msp	4m c/o 0.1
Ehuasso	ZAR_06680	ZARC0033	RC	124	48	88.00	40	0.47 18.6 ZARC0033: 40m at 0.47g/t from 48m	4msp	4m c/o 0.1
Ebilassokro	ZAR_18240	ZAAC0572	AC	55	20	44.00	24	0.74 17.8 ZAAC0572: 24m at 0.74g/t from 20m incl. 4m @ 2.5g/t, 1g/t	4msp	4m c/o 0.1
Ehuasso	ZAR_06880	ZARC0047	RC	234	40	92.00	52	0.32 16.84 ZARC0047: 52m at 0.32g/t from 40m	4msp	4m c/o 0.1
Ehuasso	ZAR_06880	ZARC0051	RC	168	96	108.00	12	1.30 15.56 ZARC0051: 12m at 1.3g/t from 96m incl. 4m @ 1.3g/t, 2.4g/t	4msp	4m c/o 0.1
Ehuasso	ZAR_07200	ZARC0025	RC	200	104	136.00	32	0.46 14.76 ZARC0025: 32m at 0.46g/t from 104m	4msp	4m c/o 0.1
Ehuasso	ZAR_07040	ZARC0028	RC	200	76	128.00	52	0.26 13.72 ZARC0028: 52m at 0.26g/t from 76m	4msp	4m c/o 0.1
Ehuasso	ZAR_06800	ZARC0031	RC	200	68	88.00	20	0.59 11.76 ZARC0031: 20m at 0.59g/t from 68m	4msp	4m c/o 0.1
Ehuasso	ZAR_06720	ZARC0037	RC	250	72	104.00	32	0.35 11.04 ZARC0037: 32m at 0.35g/t from 72m	4msp	4m c/o 0.1
Ehuasso	ZAR_06880	ZARC0049	RC	126	0	4.00	4	2.49 9.96 ZARC0049: 4m at 2.49g/t from 0m	4msp	4m c/o 0.1
Ehuasso	ZAR_06960	ZARC0043	RC	116	96	114.00	18	0.54 9.7 ZARC0043: 18m at 0.54g/t from 96m	4msp	4m c/o 0.1
Ehuasso	ZAR_07200	ZARC0025	RC	200	192	196.00	4	2.16 8.64 ZARC0025: 4m at 2.16g/t from 192m	4msp	4m c/o 0.1
Ebilassokro	ZAR_16960	ZAAC0632	AC	56	36	44.00	8	1.06 8.48 ZAAC0632: 8m at 1.06g/t from 36m incl. 4m @ 2g/t	4msp	4m c/o 0.1
Ebilassokro	ZAR_18240	ZAAC0600	AC	37	0	32.00	32	0.26 8.28 ZAAC0600: 32m at 0.26g/t from 0m	4msp	4m c/o 0.1
Ehuasso	ZAR_06800	ZARC0031	RC	200	36	56.00	20	0.41 8.16 ZARC0031: 20m at 0.41g/t from 36m	4msp	4m c/o 0.1
Ebilassokro	ZAR_16960	ZAAC0631	AC	60	32	44.00	12	0.68 8.12 ZAAC0631: 12m at 0.68g/t from 32m incl. 4m @ 1.5g/t	4msp	4m c/o 0.1
Ehuasso	ZAR_06960	ZARC0043	RC	116	40	68.00	28	0.29 8 ZARC0043: 28m at 0.29g/t from 40m	4msp	4m c/o 0.1
Ehuasso	ZAR_06960	ZARC0029	RC	204	0	12.00	12	0.65 7.8 ZARC0029: 12m at 0.65g/t from 0m	4msp	4m c/o 0.1
Ehuasso	ZAR_07280	ZARC0023	RC	192	0	4.00	4	1.74 6.96 ZARC0023: 4m at 1.74g/t from 0m	4msp	4m c/o 0.1
Ehuasso	ZAR_07120	ZARC0026	RC	200	12	28.00	16	0.40 6.44 ZARC0026: 16m at 0.4g/t from 12m	4msp	4m c/o 0.1
Ehuasso	ZAR_06800	ZARC0031	RC	200	0	8.00	8	0.75 6 ZARC0031: 8m at 0.75g/t from 0m	4msp	4m c/o 0.1
Ehuasso	ZAR_06880	ZARC0051	RC	168	40	56.00	16	0.36 5.68 ZARC0051: 16m at 0.36g/t from 40m	4msp	4m c/o 0.1
Ehuasso	ZAR_07280	ZARC0023	RC	192	140	156.00	16	0.34 5.48 ZARC0023: 16m at 0.34g/t from 140m	4msp	4m c/o 0.1
Ehuasso	ZAR_06880	ZARC0030	RC	180	68	80.00	12	0.43 5.2 ZARC0030: 12m at 0.43g/t from 68m	4msp	4m c/o 0.1
Ebilassokro	ZAR_17760	ZAAC0612	AC	81	48	52.00	4	1.29 5.16 ZAAC0612: 4m at 1.29g/t from 48m	4msp	4m c/o 0.1
Ehuasso	ZAR_06720	ZARC0041	RC	60	44	52.00	8	0.65 5.16 ZARC0041: 8m at 0.65g/t from 44m	4msp	4m c/o 0.1
Ehuasso	ZAR_06880	ZARC0051	RC	168	149	168.00	19	0.27 5.04 ZARC0051: 19m at 0.27g/t from 149m	4msp	4m c/o 0.1
Ehuasso	ZAR_07040	ZARC0035	RC	138	104	116.00	12	0.42 5 ZARC0035: 12m at 0.42g/t from 104m	4msp	4m c/o 0.1


Initial deeper RC drilling over the Ehuasso target indicates both narrow high-grade structures, e.g. ZAR0046: 12m at 6.15g/t from 108m, and broad low-grade structures, e.g. ZARC0025: 32m at 0.46g/t from 104m, that continue through the weathering profile to depth.

AC results received over the Ebilassokro exploration target have intersected additional mineralised structures at depth with drilling ongoing. Results to date have confirmed mineralised trends in broad spaced AC traverses over a 3km by 1.7km area, refer **Figure 2**.


Drilling results to date for the first and second phase programmes has defined the 1.7km long by up to 70m wide (apparent thickness) Ehuasso Main target within roughly 160m spaced AC-RC traverses. New results reported herewith have infilled the Ehuasso Main target to 80m traverse spacing over approximately 550m of strike with drilling ongoing. Additional high-priority targets exist at the Tiemele Pit and within the surrounding Ehuasso target area. An overview of the Ehuasso target drill highlights at greater than 5-gram meters for phases one and two are shown in **Figure 3**.



**Figure 1:** Newly reported 4m composite RC gold drill intersections at greater than 5 gram-meters at a 0.1g/t cut-off and 4m of internal dilution at the Ehuasso target on greyscale drone imagery background.



**Figure 2:** Newly reported 4m composite drill intersections at the Ebilassokro exploration target with previously reported highlights from Phase 2, on drone imagery background.




**Figure 3:** Phase 1 and Phase 2 drilling highlights for 1m primary samples at greater than 5-gram meters over the Ehuasso target zone.

## Drilling Programme

The third phase 50,000m combined AC and RC drilling programme is progressing well with three drill rigs currently active at the Ehuasso Main, Yakassé and M'Basso targets (*refer Figure 4*).

Drilling is likely to continue into Q1 2021 due to delays associated with the recent country elections, with results reported as they become available.



**Figure 4:** Zaranou license area soils and anomaly map with drill targets highlighted within red squares

## Competent Person Statement

Information in this announcement relating to the exploration results is based on data reviewed by Mr Lennard Kolff (MEcon. Geol., BSc. Hons ARSM), Chief Geologist of the Company. Mr Kolff is a Member of the Australian Institute of Geoscientists who has in excess of 20 years' experience in mineral exploration and is a Qualified Person under the AIM Rules. Mr Kolff consents to the inclusion of the information in the form and context in which it appears.

*Certain information contained in this announcement would have been deemed inside information for the purposes of Article 7 of Regulation (EU) No 596/2014 until the release of this announcement.*

For any further information please contact:

**IronRidge Resources Limited**

Vincent Mascolo (Chief Executive Officer)

Karl Schlobohm (Company Secretary)

[www.ironridgeresources.com.au](http://www.ironridgeresources.com.au)

Tel: +61 7 3303 0610

**SP Angel Corporate Finance LLP**

Nominated Adviser

Jeff Keating

Charlie Bouverat

Tel: +4 (0)20 3470 0470

**SI Capital Limited**

Company Broker

Nick Emerson

Jon Levinson

Tel: +44 (0) 1483 413 500

Tel: +44 (0) 207 871 4038

**Yellow Jersey PR Limited**

Henry Wilkinson

Matthew McHale

Dominic Barretto

Tel: +44 (0)20 3004 9512

**APPENDIX 1: Initial third phase 4m composite AC and RC drill intersections reported herewith at 0.1g/t cut-off and maximum 4m of internal dilution**

Prospect	Section_ID	Hole_ID	Drill Type	End of Hole_m	From_m	To_m	Interval_m	Grade_g/t	gxm	Intersection	Sample type	Int. Dilution
Ehuasso	ZAR_07280	ZARC0023	RC	192	0	4.00	4	1.74	6.96	ZARC0023: 4m at 1.74g/t from 0m	4msp	4m c/o 0.1
Ehuasso	ZAR_07280	ZARC0023	RC	192	28	32.00	4	0.28	1.12	ZARC0023: 4m at 0.28g/t from 28m	4msp	4m c/o 0.1
Ehuasso	ZAR_07280	ZARC0023	RC	192	108	112.00	4	0.10	0.4	ZARC0023: 4m at 0.1g/t from 108m	4msp	4m c/o 0.1
Ehuasso	ZAR_07280	ZARC0023	RC	192	140	156.00	16	0.34	5.48	ZARC0023: 16m at 0.34g/t from 140m	4msp	4m c/o 0.1
Ehuasso	ZAR_07200	ZARC0024	RC	200	60	72.00	12	0.16	1.88	ZARC0024: 12m at 0.16g/t from 60m	4msp	4m c/o 0.1
Ehuasso	ZAR_07200	ZARC0024	RC	200	88	92.00	4	0.21	0.84	ZARC0024: 4m at 0.21g/t from 88m	4msp	4m c/o 0.1
Ehuasso	ZAR_07200	ZARC0024	RC	200	160	164.00	4	0.12	0.48	ZARC0024: 4m at 0.12g/t from 160m	4msp	4m c/o 0.1
Ehuasso	ZAR_07200	ZARC0025	RC	200	4	8.00	4	0.10	0.4	ZARC0025: 4m at 0.1g/t from 4m	4msp	4m c/o 0.1
Ehuasso	ZAR_07200	ZARC0025	RC	200	104	136.00	32	0.46	14.76	ZARC0025: 32m at 0.46g/t from 104m	4msp	4m c/o 0.1
Ehuasso	ZAR_07200	ZARC0025	RC	200	176	180.00	4	0.42	1.68	ZARC0025: 4m at 0.42g/t from 176m	4msp	4m c/o 0.1
Ehuasso	ZAR_07200	ZARC0025	RC	200	192	196.00	4	2.16	8.64	ZARC0025: 4m at 2.16g/t from 192m	4msp	4m c/o 0.1
Ehuasso	ZAR_07120	ZARC0026	RC	200	12	28.00	16	0.40	6.44	ZARC0026: 16m at 0.4g/t from 12m	4msp	4m c/o 0.1
Ehuasso	ZAR_07120	ZARC0026	RC	200	108	124.00	16	0.19	3	ZARC0026: 16m at 0.19g/t from 108m	4msp	4m c/o 0.1
Ehuasso	ZAR_07120	ZARC0026	RC	200	176	180.00	4	0.10	0.4	ZARC0026: 4m at 0.1g/t from 176m	4msp	4m c/o 0.1
Ehuasso	ZAR_07120	ZARC0027	RC	200	48	76.00	28	1.47	41.2	ZARC0027: 28m at 1.47g/t from 48m incl. 4m @ 8.4g/t	4msp	4m c/o 0.1
Ehuasso	ZAR_07120	ZARC0027	RC	200	116	120.00	4	0.13	0.52	ZARC0027: 4m at 0.13g/t from 116m	4msp	4m c/o 0.1
Ehuasso	ZAR_07040	ZARC0028	RC	200	40	44.00	4	0.32	1.28	ZARC0028: 4m at 0.32g/t from 40m	4msp	4m c/o 0.1
Ehuasso	ZAR_07040	ZARC0028	RC	200	76	128.00	52	0.26	13.72	ZARC0028: 52m at 0.26g/t from 76m	4msp	4m c/o 0.1
Ehuasso	ZAR_07040	ZARC0028	RC	200	140	164.00	24	0.11	2.56	ZARC0028: 24m at 0.11g/t from 140m	4msp	4m c/o 0.1
Ehuasso	ZAR_07040	ZARC0028	RC	200	172	180.00	8	0.24	1.92	ZARC0028: 8m at 0.24g/t from 172m	4msp	4m c/o 0.1
Ehuasso	ZAR_06960	ZARC0029	RC	204	0	12.00	12	0.65	7.8	ZARC0029: 12m at 0.65g/t from 0m	4msp	4m c/o 0.1
Ehuasso	ZAR_06960	ZARC0029	RC	204	36	72.00	36	1.43	51.6	ZARC0029: 36m at 1.43g/t from 36m incl. 4m @ 1.1g/t, 7.4g/t, 2.7g/t	4msp	4m c/o 0.1
Ehuasso	ZAR_06960	ZARC0029	RC	204	84	92.00	8	0.16	1.28	ZARC0029: 8m at 0.16g/t from 84m	4msp	4m c/o 0.1
Ehuasso	ZAR_06960	ZARC0029	RC	204	108	112.00	4	0.29	1.16	ZARC0029: 4m at 0.29g/t from 108m	4msp	4m c/o 0.1
Ehuasso	ZAR_06880	ZARC0030	RC	180	0	12.00	12	0.18	2.2	ZARC0030: 12m at 0.18g/t from 0m	4msp	4m c/o 0.1
Ehuasso	ZAR_06880	ZARC0030	RC	180	24	28.00	4	0.19	0.76	ZARC0030: 4m at 0.19g/t from 24m	4msp	4m c/o 0.1
Ehuasso	ZAR_06880	ZARC0030	RC	180	48	56.00	8	0.15	1.16	ZARC0030: 8m at 0.15g/t from 48m	4msp	4m c/o 0.1
Ehuasso	ZAR_06880	ZARC0030	RC	180	68	80.00	12	0.43	5.2	ZARC0030: 12m at 0.43g/t from 68m	4msp	4m c/o 0.1
Ehuasso	ZAR_06880	ZARC0030	RC	180	176	180.00	4	0.98	3.92	ZARC0030: 4m at 0.98g/t from 176m	4msp	4m c/o 0.1
Ehuasso	ZAR_06800	ZARC0031	RC	200	0	8.00	8	0.75	6	ZARC0031: 8m at 0.75g/t from 0m	4msp	4m c/o 0.1
Ehuasso	ZAR_06800	ZARC0031	RC	200	16	20.00	4	0.17	0.68	ZARC0031: 4m at 0.17g/t from 16m	4msp	4m c/o 0.1
Ehuasso	ZAR_06800	ZARC0031	RC	200	36	56.00	20	0.41	8.16	ZARC0031: 20m at 0.41g/t from 36m	4msp	4m c/o 0.1
Ehuasso	ZAR_06800	ZARC0031	RC	200	68	88.00	20	0.59	11.76	ZARC0031: 20m at 0.59g/t from 68m	4msp	4m c/o 0.1
Ehuasso	ZAR_06800	ZARC0031	RC	200	112	116.00	4	0.73	2.92	ZARC0031: 4m at 0.73g/t from 112m	4msp	4m c/o 0.1
Ehuasso	ZAR_06720	ZARC0032	RC	129	0	64.00	64	0.38	24.48	ZARC0032: 64m at 0.38g/t from 0m	4msp	4m c/o 0.1
Ehuasso	ZAR_06720	ZARC0032	RC	129	124	128.00	4	0.11	0.44	ZARC0032: 4m at 0.11g/t from 124m	4msp	4m c/o 0.1
Ehuasso	ZAR_06680	ZARC0033	RC	124	48	88.00	40	0.47	18.6	ZARC0033: 40m at 0.47g/t from 48m	4msp	4m c/o 0.1
Ehuasso	ZAR_07040	ZARC0035	RC	138	12	16.00	4	0.17	0.68	ZARC0035: 4m at 0.17g/t from 12m	4msp	4m c/o 0.1
Ehuasso	ZAR_07040	ZARC0035	RC	138	36	40.00	4	0.11	0.44	ZARC0035: 4m at 0.11g/t from 36m	4msp	4m c/o 0.1
Ehuasso	ZAR_07040	ZARC0035	RC	138	104	116.00	12	0.42	5	ZARC0035: 12m at 0.42g/t from 104m	4msp	4m c/o 0.1
Ehuasso	ZAR_06720	ZARC0037	RC	250	4	16.00	12	0.14	1.68	ZARC0037: 12m at 0.14g/t from 4m	4msp	4m c/o 0.1
Ehuasso	ZAR_06720	ZARC0037	RC	250	72	104.00	32	0.35	11.04	ZARC0037: 32m at 0.35g/t from 72m	4msp	4m c/o 0.1
Ehuasso	ZAR_06720	ZARC0037	RC	250	120	124.00	4	0.13	0.52	ZARC0037: 4m at 0.13g/t from 120m	4msp	4m c/o 0.1
Ehuasso	ZAR_06720	ZARC0037	RC	250	236	240.00	4	0.86	3.44	ZARC0037: 4m at 0.86g/t from 236m	4msp	4m c/o 0.1
Ehuasso	ZAR_06720	ZARC0037	RC	250	248	250.00	2	0.10	0.2	ZARC0037: 2m at 0.1g/t from 248m	4msp	4m c/o 0.1
Ehuasso	ZAR_06720	ZARC0039	RC	60	0	4.00	4	0.18	0.72	ZARC0039: 4m at 0.18g/t from 0m	4msp	4m c/o 0.1
Ehuasso	ZAR_06720	ZARC0039	RC	60	32	40.00	8	0.36	2.84	ZARC0039: 8m at 0.36g/t from 32m	4msp	4m c/o 0.1
Ehuasso	ZAR_06720	ZARC0041	RC	60	44	52.00	8	0.65	5.16	ZARC0041: 8m at 0.65g/t from 44m	4msp	4m c/o 0.1
Ehuasso	ZAR_06960	ZARC0043	RC	116	40	68.00	28	0.29	8	ZARC0043: 28m at 0.29g/t from 40m	4msp	4m c/o 0.1
Ehuasso	ZAR_06960	ZARC0043	RC	116	76	80.00	4	0.18	0.72	ZARC0043: 4m at 0.18g/t from 76m	4msp	4m c/o 0.1
Ehuasso	ZAR_06960	ZARC0043	RC	116	96	114.00	18	0.54	9.7	ZARC0043: 18m at 0.54g/t from 96m	4msp	4m c/o 0.1
Ehuasso	ZAR_06880	ZARC0045	RC	126	24	32.00	8	0.32	2.52	ZARC0045: 8m at 0.32g/t from 24m	4msp	4m c/o 0.1
Ehuasso	ZAR_06880	ZARC0045	RC	126	44	104.00	60	0.40	23.92	ZARC0045: 60m at 0.4g/t from 44m	4msp	4m c/o 0.1
Ehuasso	ZAR_06880	ZARC0045	RC	126	116	120.00	4	0.14	0.56	ZARC0045: 4m at 0.14g/t from 116m	4msp	4m c/o 0.1
Ehuasso	ZAR_06160	ZARC0046	RC	150	4	8.00	4	0.10	0.4	ZARC0046: 4m at 0.1g/t from 4m	4msp	4m c/o 0.1
Ehuasso	ZAR_06160	ZARC0046	RC	150	16	24.00	8	0.26	2.08	ZARC0046: 8m at 0.26g/t from 16m	4msp	4m c/o 0.1
Ehuasso	ZAR_06160	ZARC0046	RC	150	60	64.00	4	0.18	0.72	ZARC0046: 4m at 0.18g/t from 60m	4msp	4m c/o 0.1
Ehuasso	ZAR_06160	ZARC0046	RC	150	108	120.00	12	6.15	73.84	ZARC0046: 12m at 6.15g/t from 108m incl. 4m @ 3.5g/t, 14.5g/t	4msp	4m c/o 0.1
Ehuasso	ZAR_06880	ZARC0047	RC	234	0	4.00	4	0.12	0.48	ZARC0047: 4m at 0.12g/t from 0m	4msp	4m c/o 0.1
Ehuasso	ZAR_06880	ZARC0047	RC	234	20	24.00	4	0.10	0.4	ZARC0047: 4m at 0.1g/t from 20m	4msp	4m c/o 0.1
Ehuasso	ZAR_06880	ZARC0047	RC	234	40	92.00	52	0.32	16.84	ZARC0047: 52m at 0.32g/t from 40m	4msp	4m c/o 0.1
Ehuasso	ZAR_06880	ZARC0047	RC	234	100	124.00	24	0.12	2.92	ZARC0047: 24m at 0.12g/t from 100m	4msp	4m c/o 0.1
Ehuasso	ZAR_06880	ZARC0047	RC	234	208	212.00	4	0.29	1.16	ZARC0047: 4m at 0.29g/t from 208m	4msp	4m c/o 0.1
Ehuasso	ZAR_06160	ZARC0048	RC	200	12	16.00	4	0.11	0.44	ZARC0048: 4m at 0.11g/t from 12m	4msp	4m c/o 0.1
Ehuasso	ZAR_06160	ZARC0048	RC	200	84	92.00	8	0.51	4.04	ZARC0048: 8m at 0.51g/t from 84m	4msp	4m c/o 0.1
Ehuasso	ZAR_06160	ZARC0048	RC	200	156	160.00	4	0.73	2.92	ZARC0048: 4m at 0.73g/t from 156m	4msp	4m c/o 0.1
Ehuasso	ZAR_06880	ZARC0049	RC	126	0	4.00	4	2.49	9.96	ZARC0049: 4m at 2.49g/t from 0m	4msp	4m c/o 0.1

Cont...


Prospect	Section_ID	Hole_ID	Drill Type	End of Hole_m	From_m	Interval		Grade_g/t	Intersection	Sample type	Int. Dilution
						To_m	_m				
Ehuasso	ZAR_06880	ZARC0049	RC	126	76	80.00	4	0.10	0.4 ZARC0049: 4m at 0.1g/t from 76m	4msp	4m c/o 0.1
Ehuasso	ZAR_06880	ZARC0049	RC	126	88	92.00	4	0.12	0.48 ZARC0049: 4m at 0.12g/t from 88m	4msp	4m c/o 0.1
Ehuasso	ZAR_06880	ZARC0049	RC	126	108	116.00	8	0.13	1.013 ZARC0049: 8m at 0.13g/t from 108m	4msp	4m c/o 0.1
Ehuasso	ZAR_06880	ZARC0051	RC	168	40	56.00	16	0.36	5.68 ZARC0051: 16m at 0.36g/t from 40m	4msp	4m c/o 0.1
Ehuasso	ZAR_06880	ZARC0051	RC	168	68	80.00	12	0.18	2.12 ZARC0051: 12m at 0.18g/t from 68m	4msp	4m c/o 0.1
Ehuasso	ZAR_06880	ZARC0051	RC	168	96	108.00	12	1.30	15.56 ZARC0051: 12m at 1.3g/t from 96m incl. 4m @ 1.3g/t, 2.4g/t	4msp	4m c/o 0.1
Ehuasso	ZAR_06880	ZARC0051	RC	168	132	136.00	4	0.28	1.12 ZARC0051: 4m at 0.28g/t from 132m	4msp	4m c/o 0.1
Ehuasso	ZAR_06880	ZARC0051	RC	168	149	168.00	19	0.27	5.04 ZARC0051: 19m at 0.27g/t from 149m	4msp	4m c/o 0.1
Ebilassokro	ZAR_18240	ZAAC0558	AC	57	40	48.00	8	0.17	1.36 ZAAC0558: 8m at 0.17g/t from 40m	4msp	4m c/o 0.1
Ebilassokro	ZAR_18240	ZAAC0561	AC	56	52	56.00	4	0.22	0.88 ZAAC0561: 4m at 0.22g/t from 52m	4msp	4m c/o 0.1
Ebilassokro	ZAR_18240	ZAAC0562	AC	60	20	24.00	4	0.11	0.44 ZAAC0562: 4m at 0.11g/t from 20m	4msp	4m c/o 0.1
Ebilassokro	ZAR_18240	ZAAC0562	AC	60	44	48.00	4	0.21	0.84 ZAAC0562: 4m at 0.21g/t from 44m	4msp	4m c/o 0.1
Ebilassokro	ZAR_18240	ZAAC0563	AC	51	8	12.00	4	0.43	1.72 ZAAC0563: 4m at 0.43g/t from 8m	4msp	4m c/o 0.1
Ebilassokro	ZAR_18240	ZAAC0563	AC	51	48	51.00	3	0.48	1.44 ZAAC0563: 3m at 0.48g/t from 48m	4msp	4m c/o 0.1
Ebilassokro	ZAR_18240	ZAAC0564	AC	51	0	4.00	4	0.12	0.48 ZAAC0564: 4m at 0.12g/t from 0m	4msp	4m c/o 0.1
Ebilassokro	ZAR_18240	ZAAC0564	AC	51	16	20.00	4	0.12	0.48 ZAAC0564: 4m at 0.12g/t from 16m	4msp	4m c/o 0.1
Ebilassokro	ZAR_18240	ZAAC0564	AC	51	40	44.00	4	0.28	1.12 ZAAC0564: 4m at 0.28g/t from 40m	4msp	4m c/o 0.1
Ebilassokro	ZAR_18240	ZAAC0565	AC	45	24	40.00	16	0.21	3.32 ZAAC0565: 16m at 0.21g/t from 24m	4msp	4m c/o 0.1
Ebilassokro	ZAR_18240	ZAAC0566	AC	42	4	28.00	24	0.17	4.16 ZAAC0566: 24m at 0.17g/t from 4m	4msp	4m c/o 0.1
Ebilassokro	ZAR_18240	ZAAC0567	AC	45	16	20.00	4	0.10	0.4 ZAAC0567: 4m at 0.1g/t from 16m	4msp	4m c/o 0.1
Ebilassokro	ZAR_18240	ZAAC0567	AC	45	44	45.00	1	0.13	0.13 ZAAC0567: 1m at 0.13g/t from 44m	4msp	4m c/o 0.1
Ebilassokro	ZAR_18240	ZAAC0571	AC	45	32	36.00	4	0.36	1.44 ZAAC0571: 4m at 0.36g/t from 32m	4msp	4m c/o 0.1
Ebilassokro	ZAR_18240	ZAAC0572	AC	55	20	44.00	24	0.74	17.8 ZAAC0572: 24m at 0.74g/t from 20m incl. 4m @ 2.5g/t, 1g/t	4msp	4m c/o 0.1
Ebilassokro	ZAR_18240	ZAAC0590	AC	36	0	4.00	4	0.28	1.12 ZAAC0590: 4m at 0.28g/t from 0m	4msp	4m c/o 0.1
Ebilassokro	ZAR_18240	ZAAC0595	AC	33	24	28.00	4	0.16	0.64 ZAAC0595: 4m at 0.16g/t from 24m	4msp	4m c/o 0.1
Ebilassokro	ZAR_18240	ZAAC0596	AC	43	16	20.00	4	0.85	3.4 ZAAC0596: 4m at 0.85g/t from 16m	4msp	4m c/o 0.1
Ebilassokro	ZAR_18240	ZAAC0599	AC	37	0	4.00	4	0.18	0.72 ZAAC0599: 4m at 0.18g/t from 0m	4msp	4m c/o 0.1
Ebilassokro	ZAR_18240	ZAAC0599	AC	37	28	36.00	8	0.14	1.12 ZAAC0599: 8m at 0.14g/t from 28m	4msp	4m c/o 0.1
Ebilassokro	ZAR_18240	ZAAC0600	AC	37	0	32.00	32	0.26	8.28 ZAAC0600: 32m at 0.26g/t from 0m	4msp	4m c/o 0.1
Ebilassokro	ZAR_17760	ZAAC0608	AC	68	40	48.00	8	0.10	0.8 ZAAC0608: 8m at 0.1g/t from 40m	4msp	4m c/o 0.1
Ebilassokro	ZAR_17760	ZAAC0608	AC	68	52	56.00	4	0.13	0.52 ZAAC0608: 4m at 0.13g/t from 52m	4msp	4m c/o 0.1
Ebilassokro	ZAR_17760	ZAAC0609	AC	61	12	28.00	16	0.12	1.96 ZAAC0609: 16m at 0.12g/t from 12m	4msp	4m c/o 0.1
Ebilassokro	ZAR_17760	ZAAC0609	AC	61	48	56.00	8	0.16	1.28 ZAAC0609: 8m at 0.16g/t from 48m	4msp	4m c/o 0.1
Ebilassokro	ZAR_17760	ZAAC0611	AC	67	24	28.00	4	0.14	0.56 ZAAC0611: 4m at 0.14g/t from 24m	4msp	4m c/o 0.1
Ebilassokro	ZAR_17760	ZAAC0612	AC	81	0	4.00	4	0.10	0.4 ZAAC0612: 4m at 0.1g/t from 0m	4msp	4m c/o 0.1
Ebilassokro	ZAR_17760	ZAAC0612	AC	81	48	52.00	4	1.29	5.16 ZAAC0612: 4m at 1.29g/t from 48m	4msp	4m c/o 0.1
Ebilassokro	ZAR_17760	ZAAC0613	AC	79	0	4.00	4	0.21	0.84 ZAAC0613: 4m at 0.21g/t from 0m	4msp	4m c/o 0.1
Ebilassokro	ZAR_17760	ZAAC0620	AC	43	12	24.00	12	0.32	3.8 ZAAC0620: 12m at 0.32g/t from 12m	4msp	4m c/o 0.1
Ebilassokro	ZAR_17760	ZAAC0624	AC	31	0	4.00	4	0.14	0.56 ZAAC0624: 4m at 0.14g/t from 0m	4msp	4m c/o 0.1
Ebilassokro	ZAR_16960	ZAAC0631	AC	60	32	44.00	12	0.68	8.12 ZAAC0631: 12m at 0.68g/t from 32m incl. 4m @ 1.5g/t	4msp	4m c/o 0.1
Ebilassokro	ZAR_16960	ZAAC0632	AC	56	36	44.00	8	1.06	8.48 ZAAC0632: 8m at 1.06g/t from 36m incl. 4m @ 2g/t	4msp	4m c/o 0.1
Ebilassokro	ZAR_16960	ZAAC0633	AC	46	0	4.00	4	0.18	0.72 ZAAC0633: 4m at 0.18g/t from 0m	4msp	4m c/o 0.1
Ebilassokro	ZAR_16960	ZAAC0633	AC	46	44	46.00	2	0.39	0.78 ZAAC0633: 2m at 0.39g/t from 44m	4msp	4m c/o 0.1
Ebilassokro	ZAR_16960	ZAAC0635	AC	57	8	16.00	8	0.16	1.24 ZAAC0635: 8m at 0.16g/t from 8m	4msp	4m c/o 0.1
Ebilassokro	ZAR_16960	ZAAC0636	AC	61	56	60.00	4	0.15	0.6 ZAAC0636: 4m at 0.15g/t from 56m	4msp	4m c/o 0.1

...End




**APPENDIX 2: Cross-sections for 4m composite results**


**Section ZAR\_06160**




**Section ZAR\_06720**




Section ZAR\_06800




Section ZAR\_06880




Section ZAR\_06960




Section ZAR\_07040




Section ZAR\_07120




Section ZAR\_07200




Section ZAR\_07280




Section EBIL\_16960



Section EBIL\_17760



Section EBIL\_18240



**Notes to Editors:**

IronRidge Resources is an AIM-listed, Africa focussed minerals exploration company with a lithium pegmatite discovery in Ghana, extensive grassroots gold portfolio in Cote d'Ivoire and a potential new gold province discovery in Chad. The Company holds legacy iron ore assets in Gabon and a bauxite resource in Australia. IronRidge's strategy is to create and sustain shareholder value through the discovery and development of significant and globally demanded commodities.

**Côte d'Ivoire**

The Company entered into conditional earn-in arrangements in Côte d'Ivoire, West Africa; securing access rights to highly prospective gold mineralised structures and pegmatite occurrences covering a combined 3,584km<sup>2</sup> and 1,172km<sup>2</sup> area respectively. The projects are well located within access of an extensive bitumen road network and along strike from multi-million-ounce gold projects and mines. The Company's most advanced project is the Zaranou gold project which includes high-grade gold drilling intersections along 8km strike including 6m @ 6.44g/t gold from 132m, 6m @ 15.11g/t gold from 26m, 4m @ 5.16g/t gold from 110m and 22m @ 3.39g/t gold from 8m within a broader 47km long gold anomalous structure.

**Ghana**

The Cape Coast Lithium portfolio covers some 684km<sup>2</sup> and includes the newly discovered Ewoyaa Lithium Project with a maiden Mineral Resource estimate of 14.5Mt at 1.31% Li<sub>2</sub>O in the inferred and indicated category including 4.5Mt @ 1.39% Li<sub>2</sub>O in the indicated category (reported in accordance with the JORC Code). The Company entered into earn-in arrangements with Obotan Minerals Limited, Merlink Resources Limited, Barari Developments Limited and Joy Transporters Limited of Ghana, West Africa, securing the first access rights to acquire the historical Egyasimanku Hill spodumene rich lithium deposit, estimated to be in the order of 1.48Mt at 1.67% Li<sub>2</sub>O and surrounding tenements. The tenure package is also prospective for tin, tantalum, niobium, caesium and gold, which occur as accessory minerals within the pegmatites and host formations.

**Chad**

The Company entered into an agreement with Tekton Minerals Pte Ltd of Singapore concerning its portfolio covering 746km<sup>2</sup> of highly prospective gold and other mineral projects in Chad, Central Africa. IronRidge acquired 100% of Tekton including its projects and team to advance the Dorothe, Echbara, Am Ouchar, Nabagay and Kalaka licenses, which host multiple, large scale gold projects. Trenching results at Dorothe, including 84m @ 1.66g/t Au (including 6m @ 5.49g/t & 8m @ 6.23g/t), 4m @ 18.77g/t Au (including 2m @ 36.2g/t), 32m @ 2.02g/t Au (including 18m @ 3.22g/t), 24m @ 2.53g/t Au (including 6m @ 4.1g/t (including 2m @ 6.2g/t) and 2m @ 6.14g/t), 14.12g/t Au over 4m, 34.1g/t over 2m and 63.2g/t over 1m, have defined significant gold mineralised quartz veining zones over a 3km by 1km area including the steep dipping 'Main Vein' and shallow dipping 'Sheeted Vein' zones.

**Australia**

Monogorilby is prospective for province scale titanium and bauxite, with an initial maiden resource of 54.9MT of premium DSO bauxite. Monogorilby is located in central Queensland, within a short trucking distance of the rail system leading north to the Port of Bundaberg. It is also located within close proximity of the active Queensland Rail network heading south towards the Port of Brisbane.

**Gabon**

Tchibanga is located in south-western Gabon, in the Nyanga Province, within 10-60km of the Atlantic coastline. This project comprises two exploration licenses, Tchibanga and Tchibanga Nord, which cover a combined area of 3,396km<sup>2</sup> and include over 90km of prospective lithologies and the historic Mont Pele iron occurrence.

Belinga Sud is Located in the north east of Gabon in the Ogooue-Ivindo Province, approximately 400km east of the capital city of Libreville. IRR's licence lies between the main Belinga Iron Ore Deposit, believed to be one of the world's largest untapped reserves of iron ore with an estimated 1bt of iron ore at a grade >60% Fe,

and the route of the Trans Gabonese railway, which currently carries manganese ore and timber from Franceville to the Port of Owendo in Libreville.

***Corporate***

IronRidge made its AIM debut in February 2015, successfully securing strategic alliances with three international companies; Assore Limited of South Africa, Sumitomo Corporation of Japan and DGR Global Limited of Australia. Assore is a high-grade iron, chrome and manganese mining specialist. Sumitomo Corporation is a global resources, mining marketing and trading conglomerate. DGR Global is a project generation and exploration specialist.