

Hole	From (m)	To (m)	Thickness (m)	Ni %	Co %
MAM-KK-0095	2.2	3.1	0.9	0.094	0.008
	3.1	4.1	1	0.187	0.014
	4.18	5	0.82	0.203	0.013
	5	5.6	0.6	0.407	0.017
	5.6	6.15	0.55	0.727	0.038
	6.15	7.05	0.9	0.684	0.013
	7.05	8	0.95	0.637	0.01
	8	9.1	1.1	0.739	0.081
	9.1	10.2	1.1	0.564	0.039
	10.2	11	0.8	0.45	0.061
	11	12.1	1.1	1.08	0.062
	12.1	13	0.9	0.876	0.062
	13	13.6	0.6	1.16	0.068
STD	13.6	14.4	0.8	1.09	0.184
	14.4	15.65	1.25	0.561	0.112
	15.65	17	1.35	1.2	0.13
	17	17.9	0.9	1.53	0.278
	17.9	19	1.1	1.89	0.473
	19.1	20.2	1.1	1.29	0.169
	20.6	21	0.4	1.63	0.102
	21	22.1	1.1	2.24	0.097
	22.1	23.2	1.1	2.25	0.084
	23.2	23.9	0.7	0.815	0.014
	23.9	24.45	0.55	1.25	0.049
	24.45	25.25	0.8	RIVER LOSS	
	25.25	26.15	0.9	RIVER LOSS	
26.15	26.55	0.4	RIVER LOSS		

Hole	From (m)	To (m)	Thickness (m)	Ni %	Co %
MAM-KK-0103	2.6	3.4	0.8	RIVER LOSS	
	3.4	4.2	0.8	RIVER LOSS	
	4.2	5	0.8	RIVER LOSS	
	5	6	1	RIVER LOSS	
	6	7.2	1.2	0.78	0.128
	7.2	8.48	1.28	1.05	0.075
	8.7	10	1.3	1.1	0.085
	10	11	1	0.997	0.041
	11	12.3	1.3	0.685	0.153
	12.3	13.3	1	1.39	0.138
	13.3	14	0.7	1.27	0.097
	14	15	1	1.13	0.042
	15	15.8	0.8	0.526	0.031
	15.8	16.45	0.65	0.507	0.047
	16.45	17.35	0.9	0.817	0.087
	17.35	17.95	0.6	1.85	0.084
	17.95	18.6	0.65	0.306	0.011
	18.6	19.75	1.15	1.13	0.04
	19.9	20.8	0.9	1.4	0.088
	20.8	21.1	0.3	0.375	0.022
	21.1	21.8	0.7	1.05	0.062
	21.9	22.94	1.04	0.769	0.092
	23	23.55	0.55	0.695	0.06
	23.55	24.42	0.87	0.779	0.075
	24.42	25.4	0.98	1.08	0.046
	25.4	26.2	0.8	0.857	0.061
	26.3	27.4	1.1	0.854	0.065
	27.4	28.18	0.78	0.535	0.033
	28.18	29.18	1	0.371	0.021
	29.18	30.15	0.97	0.573	0.011
	30.35	30.9	0.55	0.677	0.051
	30.9	31.32	0.42	0.339	0.014
31.32	32.4	1.08	0.31	0.011	
32.4	32.9	0.5	1.27	0.025	
STD	32.9	34	1.1	0.776	0.022
	34	35.05	1.05	0.926	0.027
	35.2	35.68	0.48	0.696	0.021
	35.68	36.45	0.77	0.475	0.01
	36.45	37.2	0.75	0.285	0.007

Hole	From (m)	To (m)	Thickness (m)	Ni %	Co %
MAM-KK-0104	2.5	3.66	1.16	0.04	0.004
	3.66	4.73	1.07	0.406	0.051
	4.73	5.2	0.47	0.243	0.012
	5.85	6.65	0.8	0.326	0.011
	8.6	9.22	0.62	0.385	0.009
	9.22	9.9	0.68	1.2	0.023
	9.9	10.25	0.35	0.632	0.014
	10.25	11.08	0.83	0.917	0.024
	11.08	11.82	0.74	0.945	0.022
	11.82	12.85	1.03	0.285	0.012
	12.85	13.95	1.1	0.398	0.013
	13.95	14.95	1	0.533	0.014
	14.95	16.05	1.1	0.588	0.016
	16.05	16.65	0.6	0.336	0.013
	16.65	17	0.35	0.226	0.011
	17	18	1	0.531	0.025
	18	18.85	0.85	0.459	0.015
	18.85	19.5	0.65	1.26	0.033
	19.5	20.05	0.55	0.717	0.013
	20.05	21	0.95	0.252	0.01

Hole	From (m)	To (m)	Thickness (m)	Ni %	Co %
MAM-KK-0111	1.1	2	0.9	0.405	0.057
	2	3.1	1.1	0.269	0.02
	3.1	4	0.9	0.588	0.038
	4	5	1	0.751	0.096
	5	5.74	0.74	0.758	0.081
	5.74	7.06	1.32	0.241	0.015
	7.2	8	0.8	0.275	0.014
	8.1	8.8	0.7	0.232	0.012
	9	9.51	0.51	0.232	0.013
	9.51	10.4	0.89	0.198	0.011
	10.4	11.15	0.75	0.25	0.013
	11.15	11.58	0.43	0.188	0.009
	11.58	12.1	0.52	0.261	0.01
	12.1	12.42	0.32	0.147	0.008
12.42	12.85	0.43	0.415	0.012	
STD	12.85	13.6	0.75	0.28	0.018
	13.6	13.95	0.35	1.09	0.035
	13.95	14.3	0.35	1.03	0.016
	14.3	15.6	1.3	0.365	0.012
	15.6	16.65	1.05	0.187	0.01
	16.65	16.9	0.25	0.133	0.008
	16.9	17.6	0.7	0.101	0.008
	17.6	18.4	0.8	0.135	0.009

Hole	From (m)	To (m)	Thickness (m)	Ni %	Co %
MAM-KK-0102	2	2.94	0.94	0.006	0.002
	3	4.13	1.13	0.01	0.001
	4.3	5.1	0.8	0.072	0.003
	5.1	6	0.9	0.2	0.01
	6	7	1	0.527	0.104
	7	8	1	0.622	0.104
	8	8.8	0.8	0.518	0.149
	8.8	9.85	1.05	0.466	0.076
	9.85	10.7	0.85	0.422	0.013
	10.7	11.9	1.2	0.921	0.093
	11.9	12.8	0.9	0.491	0.039
	12.8	13.58	0.78	1.2	0.102
	13.58	14.1	0.52	1.06	0.07
	14.1	15.25	1.15	0.936	0.048
	15.25	16.45	1.2	0.666	0.038
	16.45	17.08	0.63	0.457	0.018
	17.08	18.05	0.97	0.292	0.011
	18.25	19.25	1	0.275	0.01
	19.25	20.12	0.87	1.74	0.067
	20.12	21.15	1.03	0.298	0.011

Hole	From (m)	To (m)	Thickness (m)	Ni %	Co %
MAM-KK-0079	3.3	4	0.7	0.007	0.002
	4	4.9	0.9	0.021	0.002
	4.9	5.7	0.8	0.017	0.002
	5.7	6.53	0.83	0.01	0.001
	6.53	7	0.47	0.324	0.016
	7	8	1	0.753	0.06
	8	9	1	0.943	0.23
	9	10	1	0.956	0.146
	10	11.07	1.07	0.942	0.021
	11.6	12.18	0.58	0.935	0.043
	12.18	13	0.82	0.891	0.111
	13	14	1	0.961	0.085
	14	15	1	0.563	0.075
	STD	15	16	1	0.709
16		17	1	0.651	0.12
17		18	1	0.875	0.072
18		19	1	0.811	0.061
19		20.16	1.16	1.11	0.103
20.16		21	0.84	0.933	0.19
21		21.7	0.7	1.48	0.266
21.7		22.98	1.28	2.15	0.034
23.1		23.64	0.54	1.39	0.08
23.9		24.73	0.83	0.759	0.03
24.73		25.3	0.57	0.374	0.016
25.3		26.55	1.25	0.19	0.009

Hole	From (m)	To (m)	Thickness (m)	Ni %	Co %
MAM-KK-0086	2.5	3.2	0.7	<0.005	0.001
	3.2	4	0.8	0.013	<0.001
	4	4.88	0.88	<0.005	<0.001
	5	6	1	0.028	0.001
	6	7.1	1.1	0.332	0.018
	7.1	8	0.9	0.448	0.028
	8	9.1	1.1	0.437	0.026
	9.1	10.1	1	0.54	0.067
	10.1	11.3	1.2	0.581	0.132
	11.3	12.2	0.9	0.649	0.099
	12.2	12.7	0.5	0.65	0.074
	12.7	13.02	0.32	0.546	0.201
	13.1	13.7	0.6	0.792	0.344
	13.7	14.55	0.85	0.9	0.648
	14.6	15.6	1	0.765	0.127
	15.6	16.12	0.52	1.03	0.109
	16.12	17.1	0.98	0.914	0.059
	17.1	18.27	1.17	1.28	0.043
18.6	18.9	0.3	0.703	0.013	
19	20.1	1.1	0.244	0.01	

Hole	From (m)	To (m)	Thickness (m)	Ni %	Co %
MAM-KK-0087	1.5	2.44	0.94	0.031	0.003
	2.44	2.9	0.46	0.009	0.002
	3.1	4.24	1.14	0.007	<0.001
	4.24	5.25	1.01	0.019	<0.001
	5.25	6.06	0.81	0.284	0.01
	6.06	6.8	0.74	0.377	0.018
	6.8	7.6	0.8	0.34	0.05
	7.6	8	0.4	0.935	0.065
	8	9	1	0.283	0.01

Hole	From (m)	To (m)	Thickness (m)	Ni %	Co %
MAM-KK-0105	2.3	3.43	1.13	0.018	0.002
	3.43	4.12	0.69	0.042	0.002
	4.12	4.42	0.3	0.051	<0.001
	4.42	5.5	1.08	0.391	0.015
	5.5	6.6	1.1	0.807	0.054
	6.6	7.9	1.3	<0.005	<0.001
	7.9	8.15	0.25	0.71	0.095
	8.15	9.2	1.05	1.13	0.058
	9.2	10	0.8	1.14	0.065
	10	11.05	1.05	0.957	0.045
	11.05	12	0.95	1.03	0.104
	12	12.82	0.82	1.01	0.103
	12.82	13.38	0.56	1.17	0.172
	13.38	13.63	0.25	0.965	0.109
	13.63	14.2	0.57	0.988	0.146
	14.2	15.4	1.2	0.717	0.14
	15.4	16.58	1.18	0.744	0.128
	16.7	18	1.3	1.22	0.117
	18	19	1	1.24	0.148
STD	19	19.9	0.9	1.79	0.098
	19.9	20.95	1.05	1.62	0.043
	20.95	21.7	0.75	0.704	0.02
	21.7	22.2	0.5	1.24	0.019
	22.2	22.95	0.75	0.272	0.011
	22.95	24.06	1.11	0.823	0.039
	24.06	24.26	0.2	0.701	0.018
	24.26	25	0.74	0.299	0.015
	25	26	1	0.335	0.013
	26	26.54	0.54	0.256	0.011
	26.54	26.8	0.26	0.253	0.01
	26.8	27.45	0.65	0.246	0.01

Hole	From (m)	To (m)	Thickness (m)	Ni %	Co %
MAM-KK-0112A	15	16	1	0.642	0.071
	16	16.85	0.85	0.728	0.125
	16.85	17.34	0.49	0.375	0.024
	17.34	18.15	0.81	1.29	0.158
	18.15	18.65	0.5	1.07	0.024
	19	19.59	0.59	0.642	0.019
	19.7	20.8	1.1	0.693	0.034
	21.8	22.4	0.6	1.16	0.097
	22.4	23.58	1.18	0.349	0.012

Hole	From (m)	To (m)	Thickness (m)	Ni %	Co %
MAM-KK-0090	3.95	4.65	0.7	0.01	0.001
	4.65	5.45	0.8	<0.005	<0.001
	5.45	6	0.55	0.006	<0.001
	6	6.65	0.65	0.009	<0.001
	6.65	7.25	0.6	0.066	0.001
	7.25	7.9	0.65	0.216	0.01
	7.9	8.65	0.75	0.308	0.009
	9.45	10.15	0.7	0.514	0.01
	10.15	11.05	0.9	0.393	0.011
	11.15	12	0.85	0.279	0.009
	12	12.8	0.8	0.492	0.016
	12.8	14	1.2	0.703	0.014
	14	15.15	1.15	0.935	0.019

Hole	From (m)	To (m)	Thickness (m)	Ni %	Co %
MAM-KK-0088	2.8	3.69	0.89	<0.005	<0.001
	3.8	4.4	0.6	0.021	<0.001
	4.4	5	0.6	0.167	0.013
	5	6	1	0.505	0.097
	6	6.53	0.53	0.562	0.076
	6.53	7.3	0.77	0.651	0.088
	7.7	8.28	0.58	1.19	0.067
	8.28	8.67	0.39	1.8	0.056
	8.67	9.5	0.83	1.77	0.05
	9.5	10.35	0.85	0.708	0.013
	10.35	11.6	1.25	0.274	0.011
	11.65	12.6	0.95	0.77	0.017
	12.6	13.65	1.05	0.85	0.016
	13.65	14.25	0.6	0.265	0.011
	14.25	14.6	0.35	0.457	0.014
	14.6	15.05	0.45	0.505	0.015
	15.05	16.14	1.09	0.426	0.012
	16.55	17.1	0.55	0.61	0.023
17.1	18	0.9	0.232	0.01	

Hole	From (m)	To (m)	Thickness (m)	Ni %	Co %
MAM-KK-0089	2.8	3.39	0.59	<0.005	0.002
	3.39	3.92	0.53	0.005	0.002
	3.92	4.48	0.56	<0.005	<0.001
	4.48	5.38	0.9	0.256	0.011
	5.38	6.15	0.77	0.593	0.011
	6.15	6.95	0.8	0.685	0.032
	6.95	8	1.05	1.09	0.151
	8	9.05	1.05	1.18	0.167
	9.05	9.75	0.7	1.25	0.116
	9.75	10.63	0.88	1.05	0.115
	10.63	11.55	0.92	1.07	0.16
	11.55	12.4	0.85	0.773	0.07
	12.4	13.35	0.95	1.21	0.028
	13.35	14.45	1.1	0.392	0.053
	14.55	15.03	0.48	0.25	0.014
	15.15	15.81	0.66	0.244	0.013
15.95	16.25	0.3	0.227	0.014	
16.25	17	0.75	0.275	0.035	
STD	17	17.55	0.55	0.366	0.014
	17.55	18.6	1.05	0.364	0.02
	18.6	19.15	0.55	0.26	0.012

Hole	From (m)	To (m)	Thickness (m)	Ni %	Co %
MAM-KK-0089A	1.8	2.55	0.75	<0.005	0.002
	2.55	3.24	0.69	<0.005	<0.001
	3.65	4	0.35	0.161	0.017
	4	5	1	0.329	0.005
	5	5.45	0.45	0.464	0.014
	5.45	6.68	1.23	0.421	0.028
	6.68	7.15	0.47	0.726	0.023
	7.15	8.15	1	0.845	0.023
	8.15	9.15	1	0.906	0.122
	9.15	10.15	1	0.971	0.021
	10.15	11.48	1.33	0.912	0.053
	11.48	12.47	0.99	0.89	0.125
	12.47	13.15	0.68	0.905	0.145
	13.15	14	0.85	0.75	0.162
	14	14.7	0.7	0.956	0.185
	14.7	15.5	0.8	1.71	0.141
	15.5	16.15	0.65	1.38	0.126
	16.15	16.55	0.4	1.79	0.108
	16.55	17.6	1.05	0.686	0.011
	17.6	18.25	0.65	1.81	0.058
	18.25	18.95	0.7	2.08	0.027
	18.95	19.7	0.75	1.35	0.029
	20.15	20.5	0.35	1.69	0.036
	20.5	21.05	0.55	1.24	0.052
	21.05	21.82	0.77	1.4	0.016
	21.82	22.45	0.63	1.95	0.035
	22.45	23.45	1	1.8	0.036
	23.45	23.85	0.4	1.52	0.031
	23.85	24.45	0.6	0.308	0.011
	24.45	25.37	0.92	0.362	0.008
	25.37	25.55	0.18	0.38	0.009
25.55	26.32	0.77	0.135	0.008	
26.45	26.95	0.5	0.132	0.007	

Hole	From (m)	To (m)	Thickness (m)	Ni %	Co %
MAM-KK-0112	2.6	3.25	0.65	0.035	0.001
	3.25	4.1	0.85	0.334	0.017
	4.1	5.3	1.2	0.722	0.048
	5.3	6.3	1	1.24	0.082
	6.3	7.3	1	1.11	0.019
	7.3	7.9	0.6	1.02	0.021
	7.9	9	1.1	0.974	0.038
	9	9.73	0.73	0.762	0.083
	9.73	11	1.27	0.975	0.026
	11	12.22	1.22	1.01	0.053
	12.22	13	0.78	0.794	0.055
	13	13.95	0.95	0.954	0.104
	13.95	14.6	0.65	0.653	0.109
	14.6	15.32	0.72	0.597	0.109
	15.32	16	0.68	0.423	0.053
	16	16.7	0.7	0.282	0.04
	16.7	17.7	1	0.751	0.192
	17.7	18.88	1.18	0.853	0.164
	18.88	20	1.12	1.18	0.135
	20	20.95	0.95	1.39	0.065
20.95	21.5	0.55	0.512	0.023	
21.5	22.3	0.8	0.577	0.036	
22.3	22.8	0.5	0.822	0.029	

Hole	From (m)	To (m)	Thickness (m)	Ni %	Co %
MAM-KK-0097	2.6	3.85	1.25	<0.005	<0.001
	3.9	4.34	0.44	<0.005	<0.001
	4.6	5.8	1.2	0.013	<0.001
	5.8	6.9	1.1	0.322	0.004
	6.9	7.8	0.9	0.866	0.007
	7.8	8.45	0.65	0.648	0.006
	8.45	9	0.55	0.685	0.006
	9	10	1	0.797	0.017
	10	10.8	0.8	0.779	0.233
	10.8	11.6	0.8	0.965	0.023
	11.6	12	0.4	0.591	0.352
	12	13.09	1.09	0.808	0.091
	13.15	14.15	1	0.735	0.125
	14.15	15.15	1	0.637	0.06
	15.15	15.95	0.8	0.91	0.103
STD	15.95	17.15	1.2	0.742	0.125
	17.15	17.77	0.62	0.476	0.074
	17.77	18.45	0.68	0.687	0.134
	18.45	19.54	1.09	1.65	0.033
	19.6	20.2	0.6	1.56	0.027
	20.2	20.9	0.7	0.77	0.02
	20.9	21.35	0.45	1.31	0.022
	21.35	21.85	0.5	1.1	0.018
	21.85	22.25	0.4	0.746	0.017
	22.25	23.4	1.15	0.524	0.015
	23.4	24.1	0.7	0.859	0.021
	24.1	25	0.9	1.2	0.085
	25	26.2	1.2	0.848	0.084

Hole	From (m)	To (m)	Thickness (m)	Ni %	Co %
MAM-KK-0123	5.7	6.7	1	0.064	0.004
	6.7	7.5	0.8	0.577	0.029
	7.5	8.3	0.8	0.655	0.018
	8.3	9.3	1	0.814	0.056
	9.3	10.3	1	0.751	0.186
	10.3	10.65	0.35	1.33	0.151
	10.65	11.1	0.45	1.49	0.053
	11.1	12	0.9	0.26	0.01
	12	13.15	1.15	0.234	0.009
	13.15	13.55	0.4	0.349	0.02
	13.55	14.87	1.32	0.211	0.01
	15.1	15.8	0.7	1.02	0.025
	15.9	16.7	0.8	0.989	0.028
	16.7	17.95	1.25	0.329	0.009

Hole	From (m)	To (m)	Thickness (m)	Ni %	Co %
MAM-KK-0125	6.22	6.52	0.3	0.007	<0.001
	6.75	7.19	0.44	0.011	<0.001
	7.19	7.39	0.2	0.021	<0.001
	7.39	8.2	0.81	0.068	<0.001
	8.2	8.95	0.75	0.232	0.003
	8.95	9.95	1	0.397	0.003
	9.95	10.9	0.95	0.565	0.004
	10.9	12	1.1	0.594	0.01
	12	12.97	0.97	0.776	0.027
	12.97	13.17	0.2	0.942	0.013
	13.17	14.15	0.98	0.535	0.03
	14.15	15.15	1	0.653	0.084
	15.15	16.19	1.04	1.01	0.057
	16.19	16.44	0.25	1.05	0.048
	16.44	17.45	1.01	0.611	0.035
	17.45	18.5	1.05	0.733	0.048
	18.5	19.55	1.05	0.831	0.159
	19.55	20.6	1.05	0.774	0.029
	20.6	21.45	0.85	1.04	0.16
	21.45	22.29	0.84	1	0.162
	22.29	22.54	0.25	1.07	0.077
	22.54	23.25	0.71	0.91	0.13
	23.25	24.3	1.05	0.769	0.229
	24.3	25.6	1.3	1.26	0.482
	25.6	26.3	0.7	1.98	0.65
	26.3	26.98	0.68	1.91	0.514
	26.98	27.23	0.25	2.1	0.334
27.23	28.01	0.78	1.99	0.246	
STD	28.01	28.21	0.2	2.44	0.207
	28.21	29.61	1.4	0.422	0.022
	30.65	31.05	0.4	0.719	0.043
	31.1	32.3	1.2	0.442	0.049
	32.3	33.1	0.8	0.787	0.066
	33.1	33.55	0.45	1.9	0.086
	33.55	33.8	0.25	1.73	0.028
	33.8	34.6	0.8	0.361	0.011

Hole	From (m)	To (m)	Thickness (m)	Ni %	Co %
MAM-KK-0115	3.9	5.08	1.18	0.025	0.002
	5.08	5.7	0.62	0.335	0.008
	5.7	6.59	0.89	0.717	0.059
	6.59	7.7	1.11	0.666	0.082
	7.7	8.5	0.8	0.769	0.231
	8.5	9.26	0.76	0.854	0.219
	9.26	10	0.74	0.998	0.172
	10	11	1	1.03	0.104
	11	12	1	0.804	0.172
	12	13	1	1.24	0.152
	13	14	1	1.22	0.187
	14	15	1	1.24	0.12
	15	16	1	1.25	0.119
	16	17	1	1.22	0.09
	17	18.2	1.2	0.911	0.088
	18.2	19.25	1.05	1.01	0.077
	19.25	20.44	1.19	1.07	0.102
20.44	21.5	1.06	0.309	0.01	

Hole	From (m)	To (m)	Thickness (m)	Ni %	Co %
MAM-KK-0122	1.23	1.48	0.25	0.024	0.002
	4.45	5.1	0.65	<0.005	<0.001
	5.2	6.32	1.12	0.037	0.001
	6.32	6.57	0.25	0.076	0.002
	6.57	6.9	0.33	0.125	0.006
	6.9	8	1.1	0.347	0.026
	8	8.6	0.6	0.33	0.024
	8.6	9.32	0.72	0.519	0.05
	9.32	9.57	0.25	0.629	0.029
	9.57	10.6	1.03	0.604	0.039
	10.6	11.65	1.05	0.492	0.042
	11.65	12.65	1	0.617	0.083
	12.7	12.95	0.25	0.455	0.098
	12.95	14	1.05	0.976	0.196
	14	15.05	1.05	0.728	0.171
	15.05	16	0.95	0.609	0.225
	16	16.42	0.42	0.92	0.193
	16.42	16.67	0.25	1.2	0.075
	16.67	17.05	0.38	1.22	0.046
	17.05	17.64	0.59	0.692	0.023
18.3	19.3	1	0.522	0.023	
19.3	19.7	0.4	0.411	0.017	

Hole	From (m)	To (m)	Thickness (m)	Ni %	Co %
MAM-KK-0122A	5.58	6.55	0.97	0.092	0.006
	6.6	7.75	1.15	0.205	0.01
	7.75	8.45	0.7	0.294	0.014
	8.45	9.15	0.7	0.137	0.006
	9.15	10.1	0.95	0.54	0.024
	10.1	11	0.9	0.353	0.014
	11	12.04	1.04	0.176	0.006
	12.7	13.75	1.05	0.664	0.105
	13.75	14.1	0.35	0.566	0.104
	14.1	15.2	1.1	0.732	0.084
	15.2	16.35	1.15	0.706	0.071
	16.35	17.25	0.9	0.702	0.107
	17.25	18.15	0.9	1.08	0.146
	18.15	19	0.85	1.25	0.245
	19	20.05	1.05	1.16	0.151
	20.05	20.95	0.9	1.29	0.08
	21.2	22.1	0.9	1.04	0.031
	22.2	22.55	0.35	1.85	0.02
	22.55	23.12	0.57	0.837	0.011
	23.7	24.1	0.4	0.955	0.098
24.1	24.6	0.5	0.705	0.028	
24.6	25.58	0.98	0.29	0.01	

Hole	From (m)	To (m)	Thickness (m)	Ni %	Co %
MAM-KK-0099	4.38	4.63	0.25	0.018	0.002
	4.85	5.2	0.35	0.05	<0.001
	5.2	5.7	0.5	0.101	0.004
	5.7	6.6	0.9	0.789	0.087
	6.6	6.85	0.25	1.37	0.142
	6.85	7.15	0.3	1.35	0.112
	7.15	7.45	0.3	0.961	0.013
	7.45	8.15	0.7	0.574	0.012
	8.15	9.05	0.9	0.253	0.009

Hole	From (m)	To (m)	Thickness (m)	Ni %	Co %
MAM-KK-0109	5	6.2	1.2	0.014	0.002
	6.4	7.25	0.85	0.284	0.003
	7.25	8.5	1.25	0.23	0.026
	8.5	9.2	0.7	0.451	0.116
	9.2	9.65	0.45	0.456	0.08
	9.65	10.58	0.93	0.25	0.01
	10.7	11.8	1.1	0.215	0.009
	11.8	13.05	1.25	0.22	0.009

Hole	From (m)	To (m)	Thickness (m)	Ni %	Co %
MAM-KK-0110	5	5.8	0.8	0.027	0.002
	5.8	6.8	1	0.312	0.026
	6.8	7.9	1.1	0.196	0.034
	7.9	9	1.1	0.22	0.034
	9	10	1	0.4	0.077
	10	11.2	1.2	0.361	0.085
	11.2	12	0.8	0.458	0.113
	12	12.7	0.7	0.568	0.1
	12.7	13.4	0.7	0.625	0.114
STD	13.4	14.15	0.75	0.6	0.1
	14.15	14.9	0.75	0.545	0.084
	14.9	15.5	0.6	0.595	0.095
	15.5	15.9	0.4	0.69	0.087
	15.9	16.95	1.05	0.233	0.01

Hole	From (m)	To (m)	Thickness (m)	Ni %	Co %
MAM-KK-0116	1.8	3.05	1.25	0.257	0.038
	3.05	3.9	0.85	0.606	0.195
	3.9	4.75	0.85	0.579	0.137
	4.75	5.75	1	0.593	0.191
	5.75	6.2	0.45	0.554	0.03
	6.2	7.45	1.25	0.27	0.011

Hole	From (m)	To (m)	Thickness (m)	Ni %	Co %
MAM-KK-0119	0	0.9	0.9	0.341	0.023
	0.9	1.8	0.9	0.827	0.084
	1.8	2.9	1.1	0.787	0.168
	2.9	3.7	0.8	1.35	0.217
	3.7	4.6	0.9	1.01	0.133
	4.6	5.5	0.9	1.2	0.103
	5.5	6.35	0.85	1.11	0.129
	6.35	7.2	0.85	0.491	0.066
	7.2	7.6	0.4	0.816	0.101
	7.6	8.55	0.95	1.07	0.201
	8.55	9.5	0.95	1.43	0.141
	9.5	10.75	1.25	0.289	0.012

Hole	From (m)	To (m)	Thickness (m)	Ni %	Co %
MAM-KK-0117	1.5	2.3	0.8	0.367	0.043
	2.3	3.05	0.75	0.105	0.012
	3.05	3.8	0.75	0.056	0.007
	3.8	4.3	0.5	0.209	0.029
	4.3	5.16	0.86	1.03	0.09
	5.5	6.4	0.9	0.765	0.089
	6.4	7.1	0.7	0.666	0.086
	7.1	7.85	0.75	0.827	0.095
	7.85	8.6	0.75	0.695	0.088
	8.6	9.5	0.9	1.31	0.109
	9.5	10.3	0.8	0.373	0.012
	10.3	10.85	0.55	0.742	0.018
	10.85	11.9	1.05	1.47	0.038
	11.9	13.2	1.3	0.47	0.014
	13.2	14.5	1.3	0.355	0.011
	14.5	15.25	0.75	0.526	0.015
	15.25	16.3	1.05	1.33	0.027
	16.3	16.85	0.55	1.26	0.053
	16.85	18.1	1.25	0.291	0.011

Hole	From (m)	To (m)	Thickness (m)	Ni %	Co %
MAM-KK-0107	3.8	5.2	1.4	<0.005	0.003
	5.2	6.3	1.1	0.039	0.002
	6.3	7.4	1.1	0.055	0.003
	7.4	8.2	0.8	0.041	0.002
	8.2	8.5	0.3	<0.005	<0.001
	8.5	9.1	0.6	<0.005	0.003
	9.1	9.45	0.35	0.041	<0.001
	9.45	10.1	0.65	0.257	0.009
	10.1	11	0.9	0.692	0.084
	11.1	12.05	0.95	0.943	0.181
	12.05	12.35	0.3	1.21	0.15
	12.35	13.1	0.75	1.41	0.097
	13.1	14	0.9	1.27	0.079
	14	14.65	0.65	1.16	0.053
STD	14.65	14.9	0.25	0.83	0.074
	14.9	15.6	0.7	0.829	0.064
	15.6	16.6	1	0.803	0.11
	16.6	17.65	1.05	1.09	0.105
	17.65	18.4	0.75	1.19	0.095
	18.6	19.75	1.15	1.31	0.129
	19.75	20.4	0.65	0.696	0.067
	20.4	20.75	0.35	0.644	0.044
	20.75	22	1.25	1.02	0.134
	22	22.6	0.6	0.996	0.111
	22.6	23.4	0.8	0.713	0.053
	23.4	23.65	0.25	1.14	0.08
	23.65	24.5	0.85	0.459	0.026
	24.5	25.4	0.9	0.728	0.015
	25.4	26.4	1	1.3	0.018
	26.4	27.3	0.9	0.926	0.022
	27.3	28.2	0.9	0.983	0.021
28.2	28.7	0.5	0.502	0.011	
28.7	29.62	0.92	1.33	0.019	
29.7	30.47	0.77	0.285	0.01	

Hole	From (m)	To (m)	Thickness (m)	Ni %	Co %	
MAM-KK-0078	2.8	4	1.2	0.536	0.039	
	4	5	1	0.708	0.089	
	5	6	1	0.836	0.085	
	6	7	1	0.774	0.094	
	7	7.8	0.8	0.922	0.087	
	7.8	8.05	0.25	1.03	0.16	
	8.05	9.35	1.3	1.02	0.175	
	9.35	10.1	0.75	0.737	0.107	
	10.1	10.65	0.55	0.665	0.075	
	10.65	10.85	0.2	1.14	0.056	
	10.85	12	1.15	0.633	0.042	
	12	13.2	1.2	0.541	0.08	
	13.2	14	0.8	0.611	0.071	
	14	15	1	0.513	0.05	
	15	15.7	0.7	0.743	0.111	
	15.7	15.95	0.25	1.03	0.18	
	15.95	16.7	0.75	1.62	0.096	
	16.7	17.7	1	0.521	0.021	
	17.7	18.595			RIVER LOSS	
	18.595	18.73	0.135	1.39	0.027	
	18.83	19.75	0.92	1.16	0.025	
	19.75	20.24	0.49	0.941	0.014	
	20.35	20.55	0.2	1.76	0.028	
	20.55	21.09	0.54	0.543	0.011	
	21.55	22.71	1.16	0.764	0.041	
	23.79	25.35	1.56	1.03	0.067	
	25.35	25.485	0.135	0.564	0.015	
	24.485	25.95	1.465	0.77	0.044	
	25.95	27.215	1.265	0.354	0.018	
	27.215	27.31	0.095	0.236	0.009	
	27.31	28.45	1.14	0.34	0.028	
	28.45	29.15	0.7	0.548	0.011	

Hole	From (m)	To (m)	Thickness (m)	Ni %	Co %
MAM-KK-0059	3.68	4.18	0.5	0.007	0.003
	4.18	5	0.82	0.062	0.003
	5	5.6	0.6	0.343	0.06
	5.6	6.54	0.94	0.587	0.117
	6.54	7.7	1.16	0.637	0.262
	7.7	8.74	1.04	0.8	0.097
	8.74	9.6	0.86	0.907	0.073
	9.6	10.5	0.9	0.644	0.502
	10.5	11.56	1.06	0.484	0.148
	11.56	12	0.44	0.782	0.112
	12	12.95	0.95	0.742	0.147
	12.95	14.11	1.16	1.37	0.147
	14.11	14.65	0.54	0.441	0.012
	14.65	15.24	0.59	0.407	0.028
	15.24	16.2	0.96	0.213	0.055
	16.2	17.12	0.92	0.641	0.011
	17.12	18.18	1.06	0.425	0.039
	18.18	19.5	1.32	0.22	0.051
	19.5	20.38	0.88	0.301	0.047
	20.7	21.63	0.93	0.36	0.036
	21.9	22.9	1	0.224	0.01
	22.9	23.45	0.55	0.266	0.156
	23.45	24	0.55	0.238	0.029
	24	25	1	0.231	0.011