

Hole	From (m)	To (m)	Thickness (m)	% Ni	% Co
MAM-KK-0018	5.6	6.39	0.79	0.028	<0.001
	6.39	7.73	1.34	0.616	0.01
	7.73	8.6	0.87	0.818	0.14
	8.9	9.6	0.7	0.75	0.044
	9.6	10.6	1	0.873	0.024
	10.6	11.5	0.9	0.971	0.033
	11.5	12	0.5	0.953	0.057
	12	12.8	0.8	0.718	0.067
	12.8	13.7	0.9	0.552	0.111
	13.7	14.71	1.01	0.836	0.141
	14.71	16.02	1.31	1.37	0.148
	16.02	16.3	0.28	2.5	0.028
	16.3	16.45	0.15	2.21	0.016
	16.45	16.85	0.4	1.38	0.013
	16.85	17.6	0.75	2.43	0.035
	17.6	18.6	1	1.99	0.051
	18.6	19.05	0.45	1.25	0.012
	19.05	19.54	0.49	2.22	0.052
	19.54	19.95	0.41	0.311	0.012
	19.95	21	1.05	2.53	0.049
	21	22	1	2.29	0.026
	22	23.37	1.37	2.15	0.111
	23.37	24.45	1.08	1.96	0.036
	24.45	25.35	0.9	2.08	0.038
	25.35	26	0.65	1.23	0.018
	26	27	1	1.46	0.029
	27	28	1	1.57	0.043
	28	29.25	1.25	0.546	0.027
	29.25	30	0.75	0.28	0.012
	30	30.6	0.6	1.87	0.143
30.6	31.6	1	0.167	0.009	

Hole	From (m)	To (m)	Thickness (m)	% Ni	% Co
MAM-KK-0019	3.1	4.1	1	0.084	0.003
	4.1	5	0.9	0.206	0.008
	5	6.1	1.1	0.7	0.028
	6.1	7	0.9	0.949	0.082
	7	7.6	0.6	1.18	0.05
	7.6	8.4	0.8	1.12	0.18
	8.4	9	0.6	1.27	0.086
	9	10.25	1.25	1.02	0.179
	10.25	11.25	1	0.932	0.292
	11.25	12.1	0.85	0.887	0.4
	12.1	13	0.9	0.637	0.182
	13	14	1	0.844	0.11
	14	15	1	0.843	0.139
	15	16	1	1.34	0.238
	16	16.7	0.7	2.32	0.08
	16.7	17.2	0.5	1.82	0.031
	17.2	18.25	1.05	2.43	0.041
	18.25	18.5	0.25	1.09	0.017
	18.5	19.3	0.8	2.34	0.036
	19.3	20.05	0.75	1.89	0.025
	20.05	21	0.95	0.475	0.011
	21	22	1	0.688	0.012
	22.73	23.4	0.67	0.666	0.028
	23.4	24.35	0.95	1.47	0.021
	24.35	25.4	1.05	0.685	0.021
	25.4	26	0.6	0.662	0.021
	26	27	1	1.28	0.018
	27	28	1	1.18	0.02
	28	28.8	0.8	0.597	0.012
	29.1	30.2	1.1	0.549	0.014
	30.2	30.7	0.5	0.359	0.012
	31	31.94	0.94	0.332	0.011
	32.2	32.95	0.75	0.663	0.021
32.95	33.95	1	0.259	0.012	
33.95	35.05	1.1	0.742	0.023	
35.05	35.6	0.55	0.594	0.019	
35.6	36.2	0.6	0.355	0.012	
36.2	36.6	0.4	0.372	0.014	
36.6	37.23	0.63	0.259	0.011	

Hole	From (m)	To (m)	Thickness (m)	% Ni	% Co
MAM-KK-0020	2.9	3.3	0.4	0.025	0.003
	3.3	3.9	0.6	0.06	0.002
	3.9	4.2	0.3	0.067	0.001
	4.2	4.85	0.65	0.343	0.025
	4.85	5.9	1.05	0.418	0.072
	5.9	6.7	0.8	0.399	0.106
	6.7	7.4	0.7	0.558	0.159
	7.4	8.3	0.9	0.662	0.144
	9.6	9.95	0.35	1.13	0.02
	9.95	10.35	0.4	0.602	0.011
	10.35	11.35	1	0.3	0.011
	11.35	12.05	0.7	0.22	0.01
	12.05	13.1	1.05	0.225	0.011
	13.1	14.25	1.15	0.232	0.012
	14.25	14.85	0.6	0.105	0.01
	14.85	16.05	1.2	0.191	0.009
	16.05	16.35	0.3	0.217	0.011
	8.3	9.6	1.3	0.712	0.135
	STD	STD		0.917	0.09
	16.35	17.15	0.8	0.223	0.01
	17.3	18.1	0.8	0.222	0.011
	18.2	19.15	0.95	0.219	0.011
	19.15	20.1	0.95	0.221	0.012
	20.35	21.5	1.15	0.213	0.012
	21.5	22	0.5	0.21	0.01
	22	23.1	1.1	0.297	0.011
	23.2	24.15	0.95	0.245	0.011

Hole	From (m)	To (m)	Thickness (m)	% Ni	% Co
MAM-KK-0021	2.6	3.6	1	0.072	0.011
	3.6	4.15	0.55	0.484	0.032
	4.15	5.4	1.25	0.787	0.04
	5.4	6.4	1	0.58	0.071
	6.4	7.5	1.1	0.753	0.063
	7.5	8.5	1	0.861	0.13
	8.5	9.65	1.15	0.617	0.101
	9.65	10.9	1.25	0.822	0.146
	10.9	11.9	1	0.751	0.082
	11.9	12.9	1	0.968	0.07
	12.9	13.7	0.8	1.02	0.081
	13.7	14.5	0.8	0.805	0.137
	14.5	15.75	1.25	0.422	0.115
	15.75	16.05	0.3	0.323	0.12
	16.05	16.4	0.35	0.846	0.144
	16.4	17.06	0.66	0.989	0.101
	17.06	18	0.94	1.1	0.065
	18	18.4	0.4	0.35	0.022
	18.4	19.1	0.7	0.162	0.011
	19.1	19.55	0.45	0.106	0.009
	19.88	20.3	0.42	0.144	0.014
	20.3	21	0.7	0.167	0.012
	21	22.06	1.06	0.297	0.014
22.2	23	0.8	0.213	0.014	
23	23.65	0.65	0.672	0.037	
23.65	24.84	1.19	0.322	0.011	

Hole	From (m)	To (m)	Thickness (m)	% Ni	% Co
MAM-KK-0041	4	5.03	1.03	0.025	0.002
	5.2	6.2	1	<0.005	<0.001
	6.2	7.5	1.3	0.02	<0.001
	7.5	8.8	1.3	0.024	0.003
	8.8	9.8	1	0.113	0.006
	9.8	10.8	1	0.237	0.01
	10.8	11.75	0.95	0.455	0.019
	11.75	12.9	1.15	0.39	0.02
	12.9	13.2	0.3	0.904	0.021
	13.4	14.4	1	0.829	0.094
	14.4	15.3	0.9	0.549	0.034
	15.3	16.1	0.8	0.399	0.023
	16.1	17	0.9	0.631	0.051
	17	17.35	0.35	0.289	0.019
	17.35	18.35	1	0.137	0.008
	18.35	19.5	1.15	0.187	0.012
	19.5	20.5	1	0.538	0.019
	20.5	21.5	1	0.571	0.025
	21.5	22.3	0.8	0.532	0.024
	22.3	23	0.7	0.771	0.03
	23	24	1	1.09	0.071
	24	24.65	0.65	2.17	0.189
	24.65	25.55	0.9	1.85	0.142
25.55	26.75	1.2	0.317	0.016	

Hole	From (m)	To (m)	Thickness (m)	% Ni	% Co
MAM-KK-0031	1.5	2.1	0.6	0.421	0.037
	2.1	3.1	1	0.186	0.025
	3.1	3.95	0.85	0.363	0.056
	3.95	5	1.05	0.212	0.022
	5	5.8	0.8	0.199	0.031
	5.8	6.65	0.85	0.282	0.025
	6.65	7.3	0.65	0.525	0.031
	7.3	8.2	0.9	0.782	0.116
	8.2	9.05	0.85	0.965	0.193
	9.05	10.1	1.05	0.453	0.068
	10.1	11.25	1.15	0.145	0.012
	11.25	11.6	0.35	0.323	0.07
	11.6	12.29	0.69	0.137	0.008
	12.35	12.65	0.3	0.687	0.013
	13	13.53	0.53	0.441	0.012
	13.53	14	0.47	0.886	0.025
	14	15.35	1.35	0.391	0.012
	15.6	16.7	1.1	0.768	0.053
	16.7	17.81	1.11	1.04	0.053
	17.81	18.95	1.14	0.421	0.013
	18.95	19.95	1	1.25	0.08
	19.95	21.06	1.11	1.34	0.069
	21.06	21.72	0.66	1.5	0.045
	21.72	23	1.28	1.3	0.033
	23	24.21	1.21	0.529	0.014
	24.25	26	1.75	0.425	0.022
	26	26.95	0.95	0.913	0.026
	26.95	27.8	0.85	1.04	0.026
	27.8	28.6	0.8	1.19	0.025
	28.6	29.55	0.95	0.93	0.022
29.55	30.55	1	0.869	0.029	
30.55	31.55	1	0.464	0.012	

Hole	From (m)	To (m)	Thickness (m)	% Ni	% Co
MAM-KK-0032	4.9	5.9	1	0.138	0.002
	5.9	6.5	0.6	0.857	0.012
	6.5	7.5	1	0.041	<0.001
	7.5	8.75	1.25	0.647	0.009
	8.75	10	1.25	0.573	0.014
	10	11	1	0.894	0.078
	11	11.75	0.75	0.93	0.028
	11.95	13	1.05	0.775	0.081
	13	14.07	1.07	0.647	0.077
	14.07	15.25	1.18	0.728	0.027
	15.45	16.45	1	0.725	0.052
	16.45	17.6	1.15	1.12	0.089
	17.6	18.6	1	1.06	0.122
	18.6	19.6	1	1.33	0.049
	19.6	20.05	0.45	0.75	0.02
	20.25	21.25	1	0.788	0.021
	21.25	22.2	0.95	0.637	0.018
	22.2	23.2	1	1.31	0.021
	23.2	23.9	0.7	0.881	0.019
	23.95	24.72	0.77	0.148	0.009
25	26.2	1.2	0.568	0.013	
26.2	26.85	0.65	0.286	0.011	
27.1	28.3	1.2	0.216	0.015	

Hole	From (m)	To (m)	Thickness (m)	% Ni	% Co
MAM-KK-0051	4	4.8	0.8	<0.005	<0.001
	4.8	6.1	1.3	0.015	0.002
	6.1	6.85	0.75	0.074	0.009
	6.85	7.65	0.8	0.111	0.009
	7.65	8.9	1.25	0.505	0.01
	8.9	10	1.1	0.645	0.013
	10	11	1	0.826	0.018
	11	12.1	1.1	0.839	0.02
	12.1	13.35	1.25	0.691	0.022
	13.35	14	0.65	2.15	0.088
	14	14.92	0.92	3.08	0.169
	15	15.95	0.95	2.98	0.12
	15.95	16.95	1	3.28	0.121
	16.95	17.45	0.5	2.7	0.088
	17.45	18.15	0.7	2.62	0.1
	18.15	19.15	1	2.63	0.108
	19.15	20.4	1.25	1.6	0.047
	20.4	21.45	1.05	1.12	0.037
	21.45	22.2	0.75	2.02	0.049
	22.2	22.9	0.7	1.39	0.04
	22.9	23.97	1.07	1.22	0.028
	23.97	25.24	1.27	0.986	0.036
	25.24	26.2	0.96	1.44	0.032
26.2	27.2	1	1.7	0.027	
27.2	28.2	1	1.74	0.029	
28.2	29.4	1.2	0.867	0.013	