

Sample Number	From (m)	To (m)	Interval (m)	Historical Zn (%)	Rockfire Zn (%)
HMO-AN-2-278	278.55	278.80	0.25	6.0	6.4
HMOBG-8-239	239.00	239.50	0.50	33.6	34.1
HMOBG-8-238	238.40	239.00	0.60	24.3	23.0
HMO-AN-31-116	116.00	116.50	0.50	19.4	21.7
HMOB-025-86	86.40	87.40	1.00	8.5	6.0
HMO-AN-11-84	83.60	84.30	0.70	23.4	16.6
HMO-AN-18-183	195.30	196.30	1.00	18.1	18.0
HMO-AN-11-90	89.30	89.75	0.45	23.2	23.6
HMO-AN-18-182	181.30	182.30	1.00	26.5	27.5
HMO-AN-18-181	180.70	181.30	0.60	21.1	19.2
HMO-AN-4-120	120.30	121.30	1.00	15.8	16.2
HMO-AN-15A-208	208.20	209.20	1.00	26.1	32.6
HMOBG-8-196	195.40	196.00	0.60	18.0	15.2
HMO-AN-31-115	114.00	115.00	1.00	23.4	23.3
HMO-AN-4-134	134.70	135.30	0.60	20.0	16.5
HMO-AN-11-89	88.30	89.30	1.00	16.1	19.4
HMO-AN-15A-204	204.20	204.60	0.40	12.3	13.1
HMO-AN-11-83	82.30	83.00	0.70	16.8	12.6
HMO-AN-11-221	221.10	222.10	1.00	11.6	18.3
HMOB-048-21	21.00	21.50	0.50	13.5	14.2
HMO-AN-4-119	119.30	120.30	1.00	14.6	14.7
HMO-AN-4-121	121.30	121.60	0.30	11.2	10.1
HMO-AN-11-217	217.10	218.10	1.00	17.5	13.2
HMO-AN-11-43	43.00	43.50	0.50	26.1	17.6
HMO-AN-11-79	79.30	80.30	1.00	11.7	10.8
HMO-AN-4-135	135.30	135.90	0.60	10.7	8.2
HMO-AN-4-194	194.00	194.80	0.80	5.3	9.4
HMO-AN-15A-215	215.20	215.60	0.40	12.1	20.0
HMOB-048-17	17.50	18.50	1.00	3.9	3.9
HMO-AN-11-220	220.70	221.10	0.40	18.3	11.0
HMO-AN-11-88	87.60	88.30	0.70	12.2	12.6
HMO-AN-4-136	136.30	136.60	0.30	19.5	17.7
HMO-AN-11-80	80.30	80.65	0.35	17.4	16.8
HMO-AN-18-180	180.30	180.70	0.40	10.4	9.8
HMOB-025-87	87.40	88.40	1.00	16.4	16.4
HMO-AN-11-46	45.70	46.70	1.00	36.8	** 9.4
HMOB-048-16	16.50	17.50	1.00	6.1	7.5
HMO-AN-11-47	46.70	47.30	0.60	17.0	** 4.5
HMOB-048-20	20.80	21.00	0.20	2.3	2.7
HMO-AN-4-133	133.30	134.30	1.00	1.5	1.3
HMO-AN-17-158	157.70	158.40	0.70	3.5	3.0
HMO-AN-11-42	42.70	43.00	0.30	14.8	** 1.8
HMOB-007-21	21.55	21.78	0.23	21.6	23.1
HMO-AN-4-137	137.30	137.60	0.30	0.9	1.8
HMO-AN-24-125	125.20	125.45	0.25	3.0	2.1
HMOBG-8-195	195.00	195.40	0.40	2.7	2.3
HMO-AN-4-133A	134.30	134.70	0.40	2.6	1.3
HMOB-012-74	72.90	74.45	1.55	2.4	1.8
HMO-AN-4-138	137.90	138.30	0.40	3.3	0.6
HMOB-020-144	143.50	144.50	1.00	2.0	1.6
HMO-AN-2-279	278.80	279.55	0.75	1.1	1.0

\*\* Insufficient sample remaining for accurate analysis

Sample Number	From (m)	To (m)	Interval (m)	Historical Pb (%)	Rockfire Pb (%)
HMO-AN-2-278	278.55	278.80	0.25	2.0	2.2
HMOBG-8-239	239.00	239.50	0.50	13.3	12.9
HMOBG-8-238	238.40	239.00	0.60	8.5	9.1
HMO-AN-31-116	116.00	116.50	0.50	2.3	5.6
HMOB-025-86	86.40	87.40	1.00	1.5	1.6
HMO-AN-11-84	83.60	84.30	0.70	1.1	3.6
HMO-AN-18-183	195.30	196.30	1.00	5.2	7.5
HMO-AN-11-90	89.30	89.75	0.45	3.8	3.4
HMO-AN-18-182	181.30	182.30	1.00	3.7	4.1
HMO-AN-18-181	180.70	181.30	0.60	6.0	6.0
HMO-AN-4-120	120.30	121.30	1.00	5.0	5.8
HMO-AN-15A-208	208.20	209.20	1.00	1.0	1.6
HMOBG-8-196	195.40	196.00	0.60	3.1	2.9
HMO-AN-31-115	114.00	115.00	1.00	1.9	3.9
HMO-AN-4-134	134.70	135.30	0.60	3.6	3.6
HMO-AN-11-89	88.30	89.30	1.00	1.6	1.7
HMO-AN-15A-204	204.20	204.60	0.40	3.2	3.2
HMO-AN-11-83	82.30	83.00	0.70	3.7	2.5
HMO-AN-11-221	221.10	222.10	1.00	4.0	8.1
HMOB-048-21	21.00	21.50	0.50	1.4	1.3
HMO-AN-4-119	119.30	120.30	1.00	3.1	3.2
HMO-AN-4-121	121.30	121.60	0.30	3.1	2.9
HMO-AN-11-217	217.10	218.10	1.00	5.8	4.0
HMO-AN-11-43	43.00	43.50	0.50	0.7	1.1
HMO-AN-11-79	79.30	80.30	1.00	2.1	1.8
HMO-AN-4-135	135.30	135.90	0.60	3.3	3.2
HMO-AN-4-194	194.00	194.80	0.80	1.9	3.2
HMO-AN-15A-215	215.20	215.60	0.40	2.8	3.6
HMOB-048-17	17.50	18.50	1.00	1.1	1.0
HMO-AN-11-220	220.70	221.10	0.40	5.0	4.3
HMO-AN-11-88	87.60	88.30	0.70	2.0	2.3
HMO-AN-4-136	136.30	136.60	0.30	1.8	1.2
HMO-AN-11-80	80.30	80.65	0.35	1.1	0.8
HMO-AN-18-180	180.30	180.70	0.40	1.9	2.2
HMOB-025-87	87.40	88.40	1.00	2.5	4.6
HMO-AN-11-46	45.70	46.70	1.00	0.9	** 0.687
HMOB-048-16	16.50	17.50	1.00	1.8	1.7
HMO-AN-11-47	46.70	47.30	0.60	0.6	** 0.288
HMOB-048-20	20.80	21.00	0.20	0.3	0.4
HMO-AN-4-133	133.30	134.30	1.00	2.5	1.9
HMO-AN-17-158	157.70	158.40	0.70	1.6	1.2
HMO-AN-11-42	42.70	43.00	0.30	1.5	** 0.648
HMOB-007-21	21.55	21.78	0.23	1.4	0.8
HMO-AN-4-137	137.30	137.60	0.30	1.3	1.0
HMO-AN-24-125	125.20	125.45	0.25	0.6	0.5
HMOBG-8-195	195.00	195.40	0.40	1.3	1.4
HMO-AN-4-133A	134.30	134.70	0.40	0.7	0.4
HMOB-012-74	72.90	74.45	1.55	1.8	1.7
HMO-AN-4-138	137.90	138.30	0.40	1.1	1.0
HMOB-020-144	143.50	144.50	1.00	0.2	0.2
HMO-AN-2-279	278.80	279.55	0.75	0.5	0.4

\*\* Insufficient sample remaining for accurate analysis

Sample Number	From (m)	To (m)	Interval (m)	Historical Ag (ppm)	Rockfire Ag (ppm)
HMO-AN-2-278	278.55	278.80	0.25	16.8	25.2
HMOBG-8-239	239.00	239.50	0.50	480.0	474.0
HMOBG-8-238	238.40	239.00	0.60	250.0	307.0
HMO-AN-31-116	116.00	116.50	0.50	112.0	173.0
HMOB-025-86	86.40	87.40	1.00	108.0	170.0
HMO-AN-11-84	83.60	84.30	0.70	225.0	152.0
HMO-AN-18-183	195.30	196.30	1.00	102.0	133.0
HMO-AN-11-90	89.30	89.75	0.45	122.0	132.0
HMO-AN-18-182	181.30	182.30	1.00	106.0	131.0
HMO-AN-18-181	180.70	181.30	0.60	99.0	119.0
HMO-AN-4-120	120.30	121.30	1.00	77.0	112.0
HMO-AN-15A-208	208.20	209.20	1.00	90.5	112.0
HMOBG-8-196	195.40	196.00	0.60	91.0	111.0
HMO-AN-31-115	114.00	115.00	1.00	91.0	108.0
HMO-AN-4-134	134.70	135.30	0.60	83.0	105.0
HMO-AN-11-89	88.30	89.30	1.00	94.0	102.0
HMO-AN-15A-204	204.20	204.60	0.40	76.0	90.8
HMO-AN-11-83	82.30	83.00	0.70	101.0	88.1
HMO-AN-11-221	221.10	222.10	1.00	39.0	87.3
HMOB-048-21	21.00	21.50	0.50	78.5	85.2
HMO-AN-4-119	119.30	120.30	1.00	66.0	84.4
HMO-AN-4-121	121.30	121.60	0.30	52.0	69.1
HMO-AN-11-217	217.10	218.10	1.00	68.0	63.4
HMO-AN-11-43	43.00	43.50	0.50	47.0	63.1
HMO-AN-11-79	79.30	80.30	1.00	70.0	61.1
HMO-AN-4-135	135.30	135.90	0.60	49.0	60.2
HMO-AN-4-194	194.00	194.80	0.80	32.0	56.7
HMO-AN-15A-215	215.20	215.60	0.40	44.5	56.6
HMOB-048-17	17.50	18.50	1.00	60.0	56.5
HMO-AN-11-220	220.70	221.10	0.40	46.0	53.0
HMO-AN-11-88	87.60	88.30	0.70	51.0	52.4
HMO-AN-4-136	136.30	136.60	0.30	62.0	51.8
HMO-AN-11-80	80.30	80.65	0.35	61.0	50.5
HMO-AN-18-180	180.30	180.70	0.40	30.0	41.3
HMOB-025-87	87.40	88.40	1.00	23.0	40.6
HMO-AN-11-46	45.70	46.70	1.00	61.0	** 25.6
HMOB-048-16	16.50	17.50	1.00	25.0	24.7
HMO-AN-11-47	46.70	47.30	0.60	35.0	** 24.1
HMOB-048-20	20.80	21.00	0.20	19.5	19.1
HMO-AN-4-133	133.30	134.30	1.00	18.0	18.6
HMO-AN-17-158	157.70	158.40	0.70	21.0	16.4
HMO-AN-11-42	42.70	43.00	0.30	50.0	** 16.3
HMOB-007-21	21.55	21.78	0.23	16.6	14.3
HMO-AN-4-137	137.30	137.60	0.30	11.0	14.2
HMO-AN-24-125	125.20	125.45	0.25	14.0	14.2
HMOBG-8-195	195.00	195.40	0.40	14.0	13.8
HMO-AN-4-133A	134.30	134.70	0.40	20.0	13.0
HMOB-012-74	72.90	74.45	1.55	11.8	10.9
HMO-AN-4-138	137.90	138.30	0.40	11.0	9.7
HMOB-020-144	143.50	144.50	1.00	9.0	8.5
HMO-AN-2-279	278.80	279.55	0.75	6.6	7.8

\*\* Insufficient sample remaining for accurate analysis