

25 April 2022

Mila Resources Plc

(‘Mila’ or the ‘Company’)

Exceptional Assays: Better Than Expected Grades at Kathleen Valley’s Coffey Deposit

Mila Resources, the post-discovery gold exploration accelerator, is pleased to announce assay results returned from the Company’s 2022 diamond drilling programme at the Kathleen Valley Gold Project in Western Australia (“Kathleen Valley” or the “Project”). The objective of the drill programme is to build on the existing JORC Inferred Resource and unlock the full potential of the project, which is located in a region which hosts some of the largest gold projects in Australia and which is adjacent to Bellevue Gold’s discoveries.

Highlights

- Assays for first five of the 11 diamond core holes have been received (Table 1) delivering exceptional results
- KVRD026 - **6.6m @ 14.86 g/t Au & 21.79 g/t Ag** from 209.40m including:
 - **5m @ 18.94 g/t Au & 28.08 g/t Ag** from 210m which includes:
 - **1m @ 27.60 g/t Au & 47.50 g/t Ag** from 211m, the **highest grades returned** to date
- KVRD025 – **5m @ 4.26 g/t Au & 13.35 g/t Ag** from 198m including:
 - **3m @ 6.90 g/t Au & 21.62 g/t Ag** from 200m which includes a high-grade zone comprising:
 - **1m @ 13.45 g/t Au & 37.70 g/t Ag** from 202m
- KVRD027 – **10m @ 1.11 g/t Au & 4.35 g/t Ag** from 205m including:
 - **6m @ 2.26 g/t Au & 7.03 g/t Ag** from 219m which includes a high-grade zone comprising:
 - **1m @ 4.49 g/t Au & 18.40 g/t Ag** from 224m
- 1m re-spilts of anomalous 4m composite samples from the 2021 RC drilling have been received (Table 2), extending mineralisation in several holes with a best result of:
 - **KVRC016 - 11m @ 2.19 g/t Au** from 94m including:
 - **1m @ 14.73 g/t Au & 2.43 g/t Ag** from 104m
- Mila has completed 22 reverse circulation (“RC”) & Diamond drill holes for 4,509m during Stage 1 of the drilling campaign (Table 3)
- Drilling has now defined mineralisation over a zone 200m long and 220m down dip, which is open at depth and along strike
- Heritage Surveys ahead of line clearing and drill pad works are set to commence in preparation for Stages 2 & 3 which will comprise ~6,550m of drilling
- Stage 2 programme will step out and target new gold lode at depth (see Figure 2 below)
- This paves the way for Mila to increase its interest in the Kathleen Valley Project to 55% ownership
- Assay results for the diamond core holes KVRD029-KVRD032 are still outstanding, with holes KVDD033 & KVDD034 being cut and en route to the laboratory

Neil Hutchison, Chief Geologist of Mila Resources, commented:

"I am lost for words! The assay results from the first five diamond core holes have surpassed my expectations. We knew the core would deliver strong results based on the visual observations of the sulphide mineralisation and the Bellevue-Style veins we had intersected. In addition, we received great results from the RC drilling assays indicating the potential of this mineralised system, but to intersect 6.6m at almost 15 grams gold and 22 grams silver is remarkable. This zone includes 1m at 27.6 grams gold and 47.5 grams silver, which is the highest assay result we have received back from all of the drilling at Coffey to date.

"This deposit is really starting to take shape and from the observations in the recently completed drill holes, it only gets better. It's a massive achievement by the onsite personnel from Geolithic, DrillCore and PetriCore, who have all delivered such high-quality work over a short three-month period. We are all excited to commence with the Stage 2 & 3 drilling campaigns, which will chase this highly mineralised system at depth and along strike. These next stages of drilling will potentially further expand the mineralisation, growing the deposit in size and grade."



Varying gold-silver bearing sulphide and quartz vein textures in the high-grade zone of KVRD026 which returned 6.6m @ 14.86 g/t Au & 21.79 g/t Ag, including 1m @ 27.60 g/t Au & 47.50 g/t Ag. These are the highest grades returned to date from the Coffey mineralised system.

Mark Stephenson commented:

"This is a truly stunning result from the Coffey Deposit, one of our targets at our Kathleen Valley Gold Project, which is shaping up to be a very significant discovery indeed. Importantly, these assays have demonstrated commercial grades over mineable widths which gives the team a huge amount of confidence as we continue work with the objective of laying the foundations for a new mining operation at Kathleen Valley. It is also important to note the potential silver credits highlighted in today's assays which provide Mila with additional optionality over processing routes given the further economic advantage of silver as a co-product. We are also highly encouraged by the emergence of another gold lode underneath the main zone at depth and we will target this lode with the next drilling programme.

"We eagerly await the remaining assays from the laboratory, and we continue to plan for the second and third phases of our 2022 drilling campaign which we firmly believe will support a significantly enhanced JORC Resource, in terms of both quantum and grade. I have frequently referred to the current resource as simply the tip of the iceberg and today's assays underscore that assertion – it is certainly a very exciting time for Mila and I look forward to sharing more news in due course."

Overview of Drilling Results

The results from the Stage 1 drilling (Table 1 and Appendix 1) demonstrate that the mineralisation at the Coffey Deposit has improved in grade and continuity, down dip of the original pre-Mila resource zone.

The drilling has substantially extended mineralisation, which is now defined over a zone 200m long and 220m down dip (See Drill Collar Plan and Cross Section). The mineralisation is open at depth and along strike, with a second lode beginning to take shape underneath the main zone at depth (see Cross Section). It is common for gold systems to have multiple lodes and form stacked systems, with Coffey now beginning to demonstrate this likelihood as the drilling tests deeper.

The higher grades and multiple lodes have the potential to add significant grade, tonnage and higher-grade ounces to the Coffey Deposit once Mila completes a new resource estimate at the end of the Stage 2 & 3 drilling campaigns.

In addition, assay results for re-splits of anomalous 4m composite samples collected from the 2021 RC drilling programme have also been returned, extending mineralisation in several holes. The RC 1m re-splits extended mineralisation in holes KVRC016 and KVRC017 as shown below and detailed in Table 2:

- 11m @ 2.19 g/t Au from 94m in KVRC016
 - Including 1m at 14.73 g/t Au from 104m
- 1m @ 1.69g/t Au from 160m in KVRC017

Assay results for the diamond core holes KVRD029-KVRD032 are currently in the laboratory at ALS Global in Perth and still outstanding. Recently completed drill holes KVDD033 & KVDD034 are the last holes of the Stage 1 drilling campaign and have recently been core-cut and are en route to the laboratory. Results will be released to the market as they are received and processed.

The deeper drill holes have been cased in preparation for Down Hole Electro-Magnetic (DHEM) surveying which will assist with targeting the sulphide mineralisation at depth and potentially mapping the new deeper lower target zone.

Stage 2 drilling will commence at the completion of the upcoming heritage and flora/fauna survey which is currently in process. Once completed, earthwork can commence extending the drill line to the northeast and preparing the drill sites to the northwest (see Drill Collar Plan). These holes will test the depth and along strike potential of the emerging high-grade gold-silver deposit.

Mila has now completed a total of 22 RC & diamond drill holes for 4,509m during Stage 1 of the drilling campaign (Table 3). Stages 2 & 3 drilling will comprise a combination of deeper diamond core drilling and shallower along striking drilling as well as pre-collars for the diamond drilling. The new campaigns will comprise ~6,550m of drilling, paving the way for Mila to increase its interest in the Kathleen Valley Project to 55% ownership.

Figure 1: Hole KVRD025




Bellevue Style mineralisation in hole KVRD025 with white quartz hosting sulphide mineralisation which returned 3m @ 6.9 g/t Au & 21.6 g/t Ag (198.5-203.0m shown).




High-grade Bellevue Style quartz-sulphide mineralisation in hole KVRD025 grading 1m @ 13.45 g/t Au & 37.7 g/t Ag (202-203m shown).

Figure 2: Drill Programme including Stage 2 holes to be drilled



Drill collar plan showing RC drill holes (blue), diamond drill hole (green) and Stage 2 planned holes (magenta). The existing JORC resource zone is shown with the new mineralisation extension zone. Stage 2 drilling will test for NE down dip extensions at depth as well as shallower NW extensions along strike. Stage 3 steps out further along strike looking for new undiscovered extensions. Section A-B shown over.

Figure 3: Stage 1 drill programme cross section and Stage 2 planned holes targeted lode at depth



Cross Section A-B with completed Stage 1 drill holes and Stage 2 planned holes (magenta). The Coffey Gold-Silver mineralisation is very planar as defined by the assay grades (g/t). Its apparent that Au-Ag grade improve with depth. The Stage 2 drilling will target the projected high-grade extension of the mineralisation as well as the lower modelled target zone which is apparent in the RC drilling and has been better defined in the recently completed deeper diamond drill holes to the north.

Table 1: Significant Intersections from Diamond Core Drilling at the Coffey Deposit (true widths reported)

Hole ID	From (m)	To (m)	Width (m)	Gold (g/t)	Silver (g/t)	Copper (%)	Zinc (%)	Sulphur (%)
KVDD013	201.26	205.40	4.14	1.04	5.90	0.11	0.90	8.36
<i>incl</i>	201.26	202.00	0.74	3.32	9.16	0.16	0.76	7.04
And	207.00	208.00	1.00	1.00	1.56	0.02	0.37	0.96
KVRD024	179.00	185.00	6.00	0.88	5.33	0.05	0.94	8.45
<i>incl</i>	179.00	180.00	1.00	2.17	4.20	0.04	1.20	6.42
KVRD025	198.00	203.00	5.00	4.26	13.35	0.03	0.12	3.56
<i>incl</i>	200.00	203.00	3.00	6.90	21.62	0.04	0.18	4.52
which incl	202.00	203.00	1.00	13.45	37.70	0.04	0.02	4.77
KVRD026	209.40	216.00	6.60	14.86	21.79	0.04	0.81	3.77
<i>incl</i>	210.00	215.00	5.00	18.94	28.08	0.04	1.02	3.58
which incl	211.00	212.00	1.00	27.60	47.50	0.04	1.26	4.38
KVRD027	205.00	206.00	1.00	1.08	0.80	0.04	2.61	3.14
And	215.00	225.00	10.00	1.11	4.35	0.09	0.28	4.28
<i>incl</i>	219.00	225.00	6.00	2.26	7.03	0.07	0.16	4.00
which incl	224.00	225.00	1.00	4.49	18.40	0.01	0.04	1.25
And	229.00	230.00	1.00	0.99	2.50	0.08	0.44	5.07
KVRD028	189.00	191.00	2.00	0.77	0.60	0.01	0.01	0.26
And	194.00	198.00	4.00	0.21	2.39	0.03	0.38	3.79

Table 2: Significant Intersections from RC re-splits at the Coffey Deposit (true widths reported)

Hole ID	From (m)	To (m)	Width (m)	Gold (g/t)	Silver (g/t)	Zinc (%)
KVRC016	94	105	11	2.19	0.89	0.09
<i>incl</i>	94	101	7	1.29	0.61	0.00
& incl	104	105	1	14.73	2.43	0.08
And	117	118	1	1.69	1.76	0.59
KVRC017	160	161	1	1.69	0.25	0.09
And	181	184	3	1.21	4.25	0.83
<i>incl</i>	181	182	1	2.81	3.89	0.71
And	189	190	1	1.99	1.97	0.38
KVRC022	94	95	1	0.78	0.25	0.00
And	107	110	3	3.79	0.44	0.53
<i>incl</i>	108	109	1	6.70	0.36	0.44
And	126	127	1	1.15	1.32	1.63

Table 3: Drillhole collar details (Completed by Mila)

Hole ID	Type	Depth	Dip	Azimuth	East MGA	North MGA	RL MGA	Drill Company	Year Drilled
KVDD013	DD	240.9	-60	240	258928	6946619	490.5	DrillCore	2021
KVRC014	RC	180.0	-60	240	258894	6946567	487.5	Ausdrill	2021
KVRC015	RC	117.0	-55	260	258845	6946545	485.4	Ausdrill	2021
KVRC016	RC	129.0	-60	225	258846	6946570	486.7	Ausdrill	2021
KVRC017	RC	200.0	-65	240	258904	6946605	488.9	Ausdrill	2021
KVRC018	RC	150.0	-60	240	258835	6946622	488.0	Ausdrill	2021
KVRC019	RC	183.0	-65	240	258856	6946635	489.0	Ausdrill	2021
KVRC020	RC	177.0	-55	240	258840	6946681	488.0	Ausdrill	2021
KVRC021	RC	111.0	-60	240	258773	6946647	485.6	Ausdrill	2021
KVRC022	RC	147.0	-60	240	258770	6946701	487.0	Ausdrill	2021
KVRC023	RC	111.0	-60	240	258736	6946682	486.0	Ausdrill	2021
KVRD024	RC/DD	219.6	-62	240	258928	6946619	491.0	DrillCore	2022
KVRD025	RC/DD	250.0	-70	240	258883	6946651	491.3	DrillCore	2022
KVRD026	RC/DD	279.8	-68	248	258883	6946651	491.3	DrillCore	2022
KVRD027	RC/DD	249.8	-72	240	258897	6946660	492.7	DrillCore	2022
KVRD028	RC/DD	234.6	-62	240	258928	6946619	491.0	DrillCore	2022
KVRD029	RC/DD	303.7	-72	240	258858	6946694	489.9	DrillCore	2022
KVRD030	RC/DD	241.1	-72	240	258858	6946694	489.9	DrillCore	2022
KVRD031	RC/DD	220.0	-62	240	258822	6946733	489.2	DrillCore	2022
KVRD032	RC/DD	220.0	-62	230	258822	6946733	489.2	DrillCore	2022
KVDD033	DD	234.7	-72	260	258885	6946652	491.3	DrillCore	2022
KVDD034	DD	309.6	-80	240	258897	6946660	492.7	DrillCore	2022
TOTAL		4508.8m							

*Initial 12 RC holes KVRC001-KVRC012 were drilled by Trans Pacific Energy Group during 2019-2020

Competent Person Statement

The information in this announcement relating to Exploration Results is based on information compiled by Neil Hutchison, who is Technical Director of Mila Resources, and a member of The Australasian Institute of Geoscientists. Mr Hutchison has sufficient experience relevant to the style of mineralisation and type of deposit under consideration, and to the activity he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the “Australasian Code for Reporting of Exploration Results, Mineral Resource and Ore Reserves”.

Mr Hutchison consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.

ENDS

For more information visit www.milaresources.com or contact:

Mark Stephenson	info@milaresources.com
Mila Resources Plc	
Jonathan Evans	+44 (0) 20 3463 5000
Tavira Securities	
Nick Emerson	+44 (0) 20 7100 5100
SI Capital	
Susie Gelihier / Charlotte Page	+44 (0) 20 7236 1177
St Brides Partners Limited	

Appendix 1: Complete assay intervals of mineralised zones with Significant Intersection Calculations and high grade assays highlighted.

Hole_ID	From (m)	To (m)	Interval (m)	Au (ppm)	Ag (ppm)	Cu %	Zn %	S %
KVDD013	196.00	197.00	1.00	0.03	0.43	0.02	0.02	1.01
	197.00	198.00	1.00	0.03	0.75	0.01	0.02	0.75
	198.00	199.00	1.00	0.09	1.95	0.01	0.02	0.99
	199.00	200.00	1.00	0.04	0.57	0.01	0.02	0.75
	200.00	201.26	1.26	0.04	1.12	0.01	0.02	0.64
	201.26	202.00	0.74	3.32	9.16	0.16	0.76	7.04
	202.00	202.32	0.32	0.10	4.73	0.15	0.72	16.06
	202.32	203.00	0.68	0.80	4.30	0.08	0.93	7.04
	203.00	204.00	1.00	0.44	3.29	0.07	1.19	11.44
	204.00	204.84	0.84	0.90	5.60	0.05	0.59	5.90
	204.84	205.40	0.56	0.17	9.35	0.19	1.10	5.51
	205.40	206.00	0.60	0.17	1.85	0.01	0.79	3.64
	206.00	207.00	1.00	0.07	0.98	0.01	0.15	1.15
	207.00	208.00	1.00	1.00	1.56	0.02	0.37	0.96
	208.00	209.00	1.00	0.38	3.73	0.03	1.08	0.92
	209.00	210.00	1.00	0.06	1.20	0.02	0.10	0.72
	210.00	211.00	1.00	0.02	1.13	0.02	0.03	0.98
	211.00	212.00	1.00	0.01	0.69	0.01	0.03	0.39
KVDD013	201.26	205.40	4.14	1.04	5.90	0.11	0.90	8.36
<i>incl</i>	201.26	202.00	0.74	3.32	9.16	0.16	0.76	7.04
<i>And</i>	207.00	208.00	1.00	1.00	1.56	0.02	0.37	0.96
KVRD024	174.00	175.00	1.00	0.01	0.25	0.01	0.02	0.35
	175.00	176.00	1.00	0.01	0.25	0.01	0.02	0.32
	176.00	177.00	1.00	0.16	0.50	0.02	0.02	0.48
	177.00	178.00	1.00	0.17	0.25	0.01	0.03	0.47
	178.00	179.00	1.00	0.10	1.10	0.02	2.05	3.40
	179.00	180.00	1.00	2.17	4.20	0.04	1.20	6.42
	180.00	181.00	1.00	0.01	5.80	0.05	1.82	10.10
	181.00	182.00	1.00	0.01	10.20	0.10	2.15	10.10
	182.00	183.00	1.00	0.70	3.30	0.04	0.42	8.00
	183.00	184.00	1.00	0.60	3.10	0.05	0.03	8.83
	184.00	185.00	1.00	1.81	5.40	0.04	0.04	7.27
	185.00	186.00	1.00	0.15	1.40	0.02	0.11	2.68
	186.00	187.00	1.00	0.02	0.80	0.02	0.12	1.33
	187.00	188.00	1.00	0.01	0.60	0.01	0.03	1.19
	188.00	189.00	1.00	0.07	0.80	0.02	0.26	1.08
	189.00	190.00	1.00	0.08	0.70	0.02	0.03	0.70
	190.00	191.00	1.00	0.12	0.60	0.02	0.15	0.85
KVRD024	179.00	185.00	6.00	0.88	5.33	0.05	0.94	8.45
<i>incl</i>	179.00	180.00	1.00	2.17	4.20	0.04	1.20	6.42

Hole_ID	From (m)	To (m)	Interval (m)	Au (ppm)	Ag (ppm)	Cu %	Zn %	S %
KVRD025	192.00	193.00	1.00	0.01	0.25	0.02	0.02	0.73
	193.00	194.00	1.00	0.01	0.50	0.02	0.03	0.70
	194.00	195.00	1.00	0.01	0.25	0.02	0.02	0.76
	195.00	196.00	1.00	0.01	0.50	0.02	0.02	0.95
	196.00	197.00	1.00	0.05	1.30	0.02	0.08	2.36
	197.00	198.00	1.00	0.09	2.80	0.03	3.70	6.52
	198.00	199.00	1.00	0.58	0.80	0.01	0.03	1.72
	199.00	200.00	1.00	0.04	1.10	0.02	0.03	2.53
	200.00	201.00	1.00	4.04	8.10	0.03	0.17	4.28
	201.00	201.50	0.50	6.07	10.70	0.05	0.36	4.66
	201.50	202.00	0.50	0.33	27.40	0.05	0.31	4.37
	202.00	203.00	1.00	13.45	37.70	0.04	0.02	4.77
	203.00	203.50	0.50	0.12	1.10	0.03	0.15	5.67
	203.50	204.00	0.50	0.24	0.60	0.00	0.04	0.86
	204.00	205.00	1.00	0.19	0.70	0.01	0.03	0.47
	205.00	206.00	1.00	0.02	0.60	0.02	0.02	1.11
	206.00	207.00	1.00	0.01	0.25	0.01	0.04	0.62
	207.00	208.00	1.00	0.01	0.50	0.02	0.02	0.39
	208.00	209.00	1.00	0.01	0.25	0.01	0.01	0.16
KVRD025	198.00	203.00	5.00	4.26	13.35	0.03	0.12	3.56
<i>incl</i>	200.00	203.00	3.00	6.90	21.62	0.04	0.18	4.52
<i>which incl</i>	202.00	203.00	1.00	13.45	37.70	0.04	0.02	4.77
KVRD026	202.00	203.00	1.00	0.01	0.25	0.01	0.02	0.48
	203.00	204.00	1.00	0.01	0.50	0.02	0.02	0.95
	204.00	205.00	1.00	0.01	0.50	0.02	0.02	1.22
	205.00	206.00	1.00	0.01	0.50	0.02	0.02	0.96
	206.00	207.00	1.00	0.01	0.50	0.02	0.02	0.65
	207.00	208.00	1.00	0.02	0.60	0.02	0.02	0.81
	208.00	209.00	1.00	0.13	0.50	0.01	0.03	0.33
	209.00	209.40	0.40	0.17	1.10	0.01	0.04	0.67
	209.40	210.00	0.60	2.64	1.70	0.02	0.04	2.19
	210.00	211.00	1.00	15.80	23.20	0.05	2.68	5.20
	211.00	212.00	1.00	27.60	47.50	0.04	1.26	4.38
	212.00	213.00	1.00	11.85	16.90	0.02	0.48	1.71
	213.00	214.00	1.00	21.30	38.50	0.05	0.65	4.08
	214.00	215.00	1.00	18.15	14.30	0.04	0.06	2.52
	215.00	215.60	0.60	2.10	3.20	0.14	0.34	8.36
	215.60	216.00	0.40	1.36	1.20	0.02	0.05	1.61
	216.00	217.00	1.00	0.12	0.80	0.02	0.04	1.60
	217.00	218.00	1.00	0.07	0.50	0.01	0.02	0.49
	218.00	219.00	1.00	0.12	0.50	0.01	0.02	0.52
	219.00	220.00	1.00	0.18	0.50	0.01	0.03	0.84
	220.00	221.00	1.00	0.01	0.50	0.01	0.01	0.19
	221.00	222.00	1.00	0.01	0.25	0.01	0.01	0.14
	222.00	223.00	1.00	0.01	0.25	0.02	0.02	0.65

Hole_ID	From (m)	To (m)	Interval (m)	Au (ppm)	Ag (ppm)	Cu %	Zn %	S %
	223.00	224.00	1.00	0.01	0.25	0.01	0.02	0.66
	224.00	225.00	1.00	0.01	0.25	0.02	0.02	0.84
KVRD026	209.40	216.00	6.60	14.86	21.79	0.04	0.81	3.77
<i>incl</i>	210.00	215.00	5.00	18.94	28.08	0.04	1.02	3.58
<i>which incl</i>	211.00	212.00	1.00	27.60	47.50	0.04	1.26	4.38
KVRD027	202.60	203.00	0.40	0.06	0.90	0.04	0.05	2.72
	203.00	204.00	1.00	0.12	0.90	0.05	0.06	2.93
	204.00	205.00	1.00	0.02	0.60	0.02	0.08	1.30
	205.00	206.00	1.00	1.08	0.80	0.04	2.61	3.14
	206.00	207.00	1.00	0.04	0.50	0.02	0.07	0.88
	207.00	208.00	1.00	0.02	0.60	0.02	0.06	1.09
	208.00	209.30	1.30	0.01	0.50	0.01	0.06	0.63
	209.30	210.50	1.20	0.07	0.25	0.01	0.02	0.80
	210.50	212.00	1.50	0.07	0.60	0.02	0.03	1.56
	212.00	213.00	1.00	0.03	0.70	0.02	0.03	1.29
	213.00	214.00	1.00	0.04	0.25	0.01	0.04	0.84
	214.00	215.00	1.00	0.13	0.50	0.02	0.07	1.42
	215.00	216.00	1.00	0.50	0.60	0.02	0.04	1.28
	216.00	217.00	1.00	0.15	0.60	0.02	0.03	1.42
	217.00	217.90	0.90	0.17	4.90	0.05	0.04	3.61
	217.90	219.00	1.10	0.12	8.90	0.24	1.32	8.94
	219.00	220.30	1.30	2.13	6.90	0.19	0.29	10.10
	220.30	221.00	0.70	2.51	12.30	0.13	0.29	9.45
	221.00	222.00	1.00	1.16	2.30	0.03	0.10	1.64
	222.00	223.00	1.00	0.49	2.40	0.04	0.18	0.77
	223.00	224.00	1.00	2.90	1.50	0.01	0.07	0.59
	224.00	225.00	1.00	4.49	18.40	0.01	0.04	1.25
	225.00	226.00	1.00	0.36	1.40	0.01	0.04	0.63
	226.00	227.00	1.00	0.10	1.40	0.02	0.07	1.56
	227.00	228.00	1.00	0.47	1.10	0.03	0.19	1.37
	228.00	229.00	1.00	0.34	1.20	0.03	0.38	2.16
	229.00	230.00	1.00	0.99	2.50	0.08	0.44	5.07
	230.00	231.00	1.00	0.06	0.50	0.01	0.17	0.99
	231.00	232.00	0.25	0.20	0.80	0.01	0.75	1.38
	232.00	233.00	1.00	0.14	0.60	0.02	0.04	1.73
KVRD027	205.00	206.00	1.00	1.08	0.80	0.04	2.61	3.14
	215.00	225.00	10.00	1.11	4.35	0.09	0.28	4.28
<i>incl</i>	219.00	225.00	6.00	2.26	7.03	0.07	0.16	4.00
<i>which incl</i>	224.00	225.00	1.00	4.49	18.40	0.01	0.04	1.25
<i>And</i>	229.00	230.00	1.00	0.99	2.50	0.08	0.44	5.07
KVRD028	182.00	183.00	1.00	0.02	0.25	0.01	0.02	0.09
	183.00	184.00	1.00	0.01	0.25	0.01	0.02	0.03
	184.00	185.00	1.00	0.02	0.25	0.03	0.02	0.28
	185.00	186.00	1.00	0.17	0.50	0.03	0.02	0.23
	186.00	187.00	1.00	0.01	0.25	0.02	0.02	0.25

Hole_ID	From (m)	To (m)	Interval (m)	Au (ppm)	Ag (ppm)	Cu %	Zn %	S %
	187.00	188.00	1.00	0.01	0.25	0.01	0.01	0.04
	188.00	189.00	1.00	0.09	0.25	0.02	0.01	0.29
	189.00	190.00	1.00	0.50	0.50	0.01	0.01	0.17
	190.00	191.00	1.00	1.04	0.70	0.02	0.01	0.35
	191.00	192.00	1.00	0.11	0.25	0.01	0.01	0.25
	192.00	193.00	1.00	0.08	0.60	0.01	0.02	0.20
	193.00	194.00	1.00	0.12	1.60	0.02	0.06	2.34
	194.00	195.00	1.00	0.14	3.20	0.03	0.24	4.55
	195.00	196.00	1.00	0.31	2.80	0.02	0.18	3.84
	196.00	197.00	1.00	0.10	1.30	0.02	0.17	2.71
	197.00	197.50	0.50	0.49	1.70	0.02	1.26	3.15
	197.50	198.00	0.50	0.09	2.80	0.10	0.61	4.96
	198.00	198.50	0.50	0.02	0.70	0.02	0.08	2.50
	198.50	199.00	0.50	0.24	1.20	0.02	0.16	2.21
	199.00	200.00	1.00	0.05	0.90	0.02	1.19	2.94
	200.00	201.00	1.00	0.06	0.50	0.01	0.09	0.40
	201.00	202.00	1.00	0.01	0.50	0.01	0.03	0.62
	202.00	203.00	1.00	0.01	0.25	0.02	0.03	0.82
	203.00	204.00	1.00	0.01	0.50	0.03	0.02	0.75
	204.00	205.00	1.00	0.01	0.25	0.01	0.03	0.43
	205.00	206.00	1.00	0.01	0.25	0.01	0.03	0.22
	206.00	207.00	1.00	0.01	0.25	0.01	0.02	0.20
KVRD028	189.00	191.00	2.00	0.77	0.60	0.01	0.01	0.26
	194.00	198.00	4.00	0.21	2.39	0.03	0.38	3.79