

17 September 2020

**Additional High-Grade Drilling Results Received  
Ehuasso and Ebilassokro Targets Enhanced  
Zaranou Gold Project  
Côte d'Ivoire, West Africa**

IronRidge Resources Limited (AIM: IRR, "IronRidge" or the "Company"), the African focussed minerals exploration company, is pleased to report additional high-grade drilling results from the second phase drilling programme at the Ebilassokro and Ehuasso targets, both within the Zaranou Gold Project area ("Zaranou"). The license borders with Ghana and is along strike from significant operating gold mines including Chirano (5Moz), Bibiani (5.5Moz) and Ahafo (17Moz).

**HIGHLIGHTS:**

- **New high-grade 4m composite reverse circulation ("RC") drilling results received for the final second phase drill holes completed over the Ehuasso target, including at the Ehuasso Main target, reported at a 0.1g/t cut-off and maximum 4m of internal dilution, including highlights:**
  - 16m at 10g/t from 44m in hole ZARC0022
  - 40m at 1.29g/t from 80m in hole ZARC0019
- **Mineralisation continuity now confirmed over a 1.7km strike at the Ehuasso Main target, with mineralisation open to the south-west and at depth; follow-up phase 3 infill RC drilling now underway.**
- **Additional high-grade air-core ("AC") results (from the previously reported 4m composites on 30 July 2020) received for 1m primary samples over the Ehuasso target, reported at a 0.1g/t cut-off and maximum 4m of internal dilution, including highlights:**
  - 6m at 9.08g/t from 53m in hole ZAAC0436
  - 2m at 20.43g/t from 58m in hole ZAAC0432
  - 24m at 1.14g/t from 12m in hole ZAAC0427
  - 7m at 3.16g/t from 1m in hole ZAAC0294
  - 4m at 2.11g/t from 28m in hole ZAAC0438
  - 6m at 1.37g/t from 28m in hole ZAAC0435
- **Further new AC drill intersections reported at the Ebilassokro exploration target in 4m composite samples along the second reconnaissance drill traverse, reported at a 0.1g/t cut-off and maximum 4m of internal dilution, including highlights:**
  - 4m at 6.13g/t from 52m in hole ZAAC0460
  - 24m at 0.32g/t from 16m in hole ZAAC0491
  - 8m at 0.88g/t from 16m in hole ZAAC0491
- **Third phase 50,000m RC and AC drilling programme now underway with two drill rigs active on site and a third rig planned to arrive within four weeks.**

Commenting on the Company's latest progress, Vincent Mascolo, Chief Executive Officer of IronRidge, said:

*"As expected, Zaranou continues to deliver outstanding drilling results and the Board's confidence in a significant project grows on each drill hole and gold mineralised intersection.*

*"With only 12km of 47km of potential strike having been drill tested to date, we have already uncovered three exciting target zones - Ehuasso, Yakasse and Ebilassokro with additional targets M'Basso and Coffee Bean/Super Pit - complementing an additional untested 8km strike of hard-rock artisanal workings to deliver a pipeline of further discoveries.*

*"Ehuasso is the most advanced target area with mineralisation continuity now defined in 160m spaced AC drill traverses over 1.7km strike and up to 70m of apparent thickness, drilled to a maximum vertical depth of 100m and remaining open along strike and at depth.*

*"Our early ounces strategy is to target weathered oxide mineralisation, with initial observations suggesting it continues to average depths of 50m and up to 90m, suggesting simple mining and processing at low operational and capital costs.*

*"Our longer-term strategy is to extend a resource at depth within fresh material where initial RC results have intersected high-grade mineralisation.*


*"The third phase 50,000m combined AC and RC programme is now well underway with two drill rigs active on site and a third rig planned to arrive shortly."*

## High-Grade Gold Intersections

All 4m composite drill assay results have now been received for the remaining RC and AC drill holes completed at the Ehuasso and Ebilassokro targets within the Zaranou license (refer **Figure 1**).

New gold drill intersections at greater than 5 gram-metres for the remaining 4m composite results in RC drilling at the Ehuasso target and AC drilling at the Ebilassokro target, as well as 1m primary AC results received over the Ehuasso target are reported in **Table 1** below. All intersections are reported in **Table 1** and **Appendix 1** at a 0.1g/t cut-off and maximum 4m of internal dilution for the 4m composites and 1m of internal dilution for the 1m primary samples.

All sampling was completed at the drill site and consisted of initial 4m composites submitted for analysis, of which all composites greater than 0.1g/t gold are re-submitted for analysis at 1m intervals from retained primary samples at the project site. ALS laboratory completed sample preparation in Côte d'Ivoire and sample analysis in Burkina Faso, with results passing internal and laboratory QA/QC protocols, providing confidence in reported results. All AC and RC drilling to date has been completed at -55 to -60 degrees dip.



**Figure 1:** Regional drill targets overview over 47km prospective strike with aeromagnetics background

**Table 1:** Newly reported Ehuasso target gold drill intersection highlights at greater than 5 gram-meters for 4m RC composite samples and 1m AC primary samples at a 0.1g/t cut-off and maximum 4m or 1m of internal dilution.


Section_ID	Hole_ID	End of hole_m	From_m	To_m	Interval_m	Au_g/t	gxm	Including	Sample type	Int. Dilution
ZAR_07680	ZARC0022	200	44	60	16	10.00	159.92	4m @ 25.1g/t, 2.1g/t, 12.5g/t.	4m comp	4m c/o 0.1
ZAR_6880	ZAAC0436	72	53	59	6	9.08	54.48	1m @ 52.8g/t	1m primary	1m c/o 0.1
ZAR_06880	ZARC0019	149	80	120	40	1.29	51.4	4m @ 9.9g/t	4m comp	4m c/o 0.1
ZAR_5760	ZAAC0432	58	58	60	2	20.43	40.86	1m @ 6.7g/t, 34.1g/t	1m primary	1m c/o 0.1
ZAR_5760	ZAAC0427	12	12	36	24	1.14	27.36	1m @ 18.7g/t	1m primary	1m c/o 0.1
ZAR_Ebil02	ZAAC0460	63	52	56	4	6.13	24.52		4m comp	4m c/o 0.1
ZAR_8320	ZAAC0294	39	1	8	7	3.16	22.12	1m @ 6.58g/t, 8.7g/t, 4.9g/t	1m primary	1m c/o 0.1
ZAR_07680	ZARC0022	200	140	188	48	0.23	11		4m comp	4m c/o 0.1
ZAR_6880	ZAAC0438	59	28	32	4	2.11	8.44		1m primary	1m c/o 0.1
ZAR_6880	ZAAC0435	70	28	34	6	1.37	8.22	1m @ 1.9g/t, 4.6g/t	1m primary	1m c/o 0.1
ZAR_Ebil02	ZAAC0543	55	16	40	24	0.32	7.76		4m comp	4m c/o 0.1
ZAR_5760	ZAAC0427	0	0	6	6	1.29	7.74	1m @ 4.4g/t, 2.3g/t	1m primary	1m c/o 0.1
ZAR_6880	ZAAC0435	70	10	12	2	3.56	7.12	1m @ 5.3g/t, 1.8g/t	1m primary	1m c/o 0.1
ZAR_Ebil02	ZAAC0491	37	16	24	8	0.88	7.04	4m @ 1.6g/t	4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0492	37	0	16	16	0.37	5.96		4m comp	4m c/o 0.1
ZAR_06880	ZARC0019	149	44	64	20	0.26	5.28		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0541	37	8	37	29	0.17	5.07		4m comp	4m c/o 0.1

The new 4m composite results in remaining RC holes over the Ehuasso target provide further significant intersections within the Ehuasso Main target including 40m at 1.29g/t from 80m (including 4m at 9.9g/t) in hole ZARC0019 and new high-grade intersections at the Ehuasso target, including 16m at 10g/t from 44m (including 4m at 25.1g/t) in hole ZARC0022 (refer **Figure 2** and **Figure 3**). The broad and high-grade results provide further confidence in strike and depth continuity at the Ehuasso Main target and also define new high-grade targets.

The newly reported 4m composite RC intervals provide confidence in continuity of mineralisation within the Ehuasso Main target zone and confirm mineralisation over 1.7km of strike and up to 70m apparent width, which remains open along strike to the south-west and at depth (refer **Figure 2** and **Figure 3**).

Primary 1m samples from previously reported 4m composites over the Ehuasso target (refer **RNS of 30 July 2020**) have returned broad and high-grade gold intersections within the Ehuasso Main target including highlights of 6m at 9.08g/t from 53m in hole ZAAC0436, 2m at 20.43g/t from 58m in hole ZAAC0432 and 24m at 1.14g/t from 12m in hole ZAAC0427 (refer **Figure 2**).

The newly reported 1m primary sample results reaffirm previously reported 4m composite results within the Ehuasso target and provide greater resolution to 1m sample intervals within mineralised intervals, whilst managing assay costs.



**Figure 2:** Newly reported gold drill intersections greater than 5 gram-meters at a 0.1g/t cut-off and 4m of internal dilution for 4m RC drill composites and 1m of internal dilution for 1m primary AC samples at the Ehuasso target on greyscale drone imagery background.





Figure 3: Cross section line ZAR\_06880.

The new 4m composite results in remaining reconnaissance AC holes over the Ebilassokro target provide further encouraging results including 4m at 6.13g/t from 52m in hole ZAAC0460 and 24m at 0.32g/t from 16m in hole ZAAC0543 (refer Figure 4).

The newly reported results at Ebilassokro complement previously reported results (refer RNS of 5 August 2020) with highlights of 5m at 270.5g/t; and justify further step out exploration AC drill traverses along the target.



**Figure 4:** Newly reported 4m AC composite gold drill intersections along drill traverse EBIL\_002 at the Ebilassokro exploration target with previously reported highlights along section EBIL\_001 included, on greyscale drone imagery background.

Additional cross sections for reported drill results at Ehuasso are included in **Appendix 2**.

### Drilling Programme

The third phase 50,000m combined AC and RC drilling programme is progressing well with two drill rigs currently on site and drilling at the Ehuasso Main and Ebilassokro targets, with a third rig due to arrive on site within the coming weeks.

Drilling is planned to continue over the Ehuasso, Ebilassokro, Coffee Bean, M'Baso and Yakassé targets up to the end of Q4 2020 with results reported as they become available (refer **Figure 1**).

### Competent Person Statement

Information in this announcement relating to the exploration results is based on data reviewed by Mr Lennard Kolff (MEcon. Geol., BSc. Hons ARSM), Chief Geologist of the Company. Mr Kolff is a Member of the Australian Institute of Geoscientists who has in excess of 20 years' experience in mineral exploration and is a Qualified Person under the AIM Rules. Mr Kolff consents to the inclusion of the information in the form and context in which it appears.

*Certain information contained in this announcement would have been deemed inside information for the purposes of Article 7 of Regulation (EU) No 596/2014 until the release of this announcement.*

For any further information please contact:

**IronRidge Resources Limited**

Vincent Mascolo (Chief Executive Officer)

Karl Schlobohm (Company Secretary)

[www.ironridgeresources.com.au](http://www.ironridgeresources.com.au)

Tel: +61 7 3303 0610

**SP Angel Corporate Finance LLP**

Nominated Adviser

Jeff Keating

Charlie Bouverat

Tel: +4 (0)20 3470 0470

**SI Capital Limited**

Company Broker

Nick Emerson

Jon Levinson

Tel: +44 (0) 1483 413 500

Tel: +44 (0) 207 871 4038

**Yellow Jersey PR Limited**

Henry Wilkinson

Matthew McHale

Dominic Barretto

Tel: +44 (0)20 3004 9512

**APPENDIX 1: Additional Second phase 1m primary and 4m composite AC and RC drill intersections reported herewith at 0.1g/t cut-off and maximum 1m and 4m of internal dilution respectively**

Section_ID	Hole_ID	End of hole_m	From_m	To_m	Interval_m	Au_g/t	gxm	Including	Sample type	Int. Dilution
ZAR_06880	ZARC0019	149	32	36	4	0.26	1.04		4m comp	4m c/o 0.1
ZAR_06880	ZARC0019	149	44	64	20	0.26	5.28		4m comp	4m c/o 0.1
ZAR_06880	ZARC0019	149	80	120	40	1.29	51.4	4m @ 9.9g/t	4m comp	4m c/o 0.1
ZAR_07040	ZARC0020	200	28	32	4	0.14	0.56		4m comp	4m c/o 0.1
ZAR_07040	ZARC0020	200	44	56	12	0.22	2.6		4m comp	4m c/o 0.1
ZAR_07040	ZARC0020	200	96	100	4	0.50	2		4m comp	4m c/o 0.1
ZAR_07520	ZARC0021	200	0	4	4	0.11	0.44		4m comp	4m c/o 0.1
ZAR_07520	ZARC0021	200	12	16	4	0.13	0.52		4m comp	4m c/o 0.1
ZAR_07520	ZARC0021	200	48	60	12	0.39	4.72		4m comp	4m c/o 0.1
ZAR_07520	ZARC0021	200	68	72	4	0.15	0.6		4m comp	4m c/o 0.1
ZAR_07520	ZARC0021	200	140	152	12	0.40	4.84		4m comp	4m c/o 0.1
ZAR_07520	ZARC0021	200	172	176	4	0.18	0.72		4m comp	4m c/o 0.1
ZAR_07680	ZARC0022	200	20	24	4	0.10	0.4		4m comp	4m c/o 0.1
ZAR_07680	ZARC0022	200	28	32	4	0.11	0.44		4m comp	4m c/o 0.1
ZAR_07680	ZARC0022	200	44	60	16	10.00	159.92	4m @ 25.1g/t, 2.1g/t, 12.5g/t.	4m comp	4m c/o 0.1
ZAR_07680	ZARC0022	200	68	76	8	0.24	1.88		4m comp	4m c/o 0.1
ZAR_07680	ZARC0022	200	140	188	48	0.23	11		4m comp	4m c/o 0.1
ZAR_5760	ZAAC0426	1	1	2	1	1.68	1.68		1m primary	1m c/o 0.1
ZAR_5760	ZAAC0426	31	31	32	1	0.23	0.23		1m primary	1m c/o 0.1
ZAR_5760	ZAAC0426	36	36	43	7	0.22	1.54		1m primary	1m c/o 0.1
ZAR_5760	ZAAC0427	0	0	6	6	1.29	7.74	1m @ 4.4g/t, 2.3g/t	1m primary	1m c/o 0.1
ZAR_5760	ZAAC0427	9	9	10	1	0.13	0.13		1m primary	1m c/o 0.1
ZAR_5760	ZAAC0427	12	12	36	24	1.14	27.36	1m @ 18.7g/t	1m primary	1m c/o 0.1
ZAR_5760	ZAAC0429	0	0	3	3	0.21	0.63		1m primary	1m c/o 0.1
ZAR_5760	ZAAC0431	0	0	1	1	0.32	0.32		1m primary	1m c/o 0.1
ZAR_5760	ZAAC0431	3	3	4	1	0.10	0.10		1m primary	1m c/o 0.1
ZAR_5760	ZAAC0431	6	6	8	2	0.24	0.48		1m primary	1m c/o 0.1
ZAR_5760	ZAAC0432	45	45	47	2	0.27	0.54		1m primary	1m c/o 0.1
ZAR_5760	ZAAC0432	52	52	55	3	0.87	2.61	1m @ 2g/t	1m primary	1m c/o 0.1
ZAR_5760	ZAAC0432	58	58	60	2	20.43	40.86	1m @ 6.7g/t, 34.1g/t	1m primary	1m c/o 0.1
ZAR_5760	ZAAC0433	12	12	14	2	0.20	0.40		1m primary	1m c/o 0.1
ZAR_6880	ZAAC0435	70	10	12	2	3.56	7.12	1m @ 5.3g/t, 1.8g/t	1m primary	1m c/o 0.1
ZAR_6880	ZAAC0435	70	22	23	1	0.14	0.14		1m primary	1m c/o 0.1
ZAR_6880	ZAAC0435	70	28	34	6	1.37	8.22	1m @ 1.9g/t, 4.6g/t	1m primary	1m c/o 0.1
ZAR_6880	ZAAC0436	72	27	28	1	0.49	0.49		1m primary	1m c/o 0.1
ZAR_6880	ZAAC0436	72	30	35	5	0.19	0.95		1m primary	1m c/o 0.1
ZAR_6880	ZAAC0436	72	53	59	6	9.08	54.48	1m @ 52.8g/t	1m primary	1m c/o 0.1
ZAR_6880	ZAAC0436	72	62	64	2	0.53	1.06		1m primary	1m c/o 0.1
ZAR_6880	ZAAC0437	53	0	4	4	0.36	1.44		1m primary	1m c/o 0.1
ZAR_6880	ZAAC0437	53	52	53	1	0.86	0.86		1m primary	1m c/o 0.1
ZAR_6880	ZAAC0438	59	28	32	4	2.11	8.44		1m primary	1m c/o 0.1
ZAR_6880	ZAAC0440	54	49	52	3	0.16	0.48		1m primary	1m c/o 0.1
ZAR_7040	ZAAC0442	65	48	52	4	0.16	0.64		1m primary	1m c/o 0.1
ZAR_7040	ZAAC0442	65	56	62	6	0.14	0.84		1m primary	1m c/o 0.1
ZAR_7200	ZAAC0446	70	64	65	1	0.17	0.17		1m primary	1m c/o 0.1
ZAR_7200	ZAAC0447	59	18	21	3	0.17	0.51		1m primary	1m c/o 0.1
ZAR_7200	ZAAC0447	59	23	24	1	0.10	0.1		1m primary	1m c/o 0.1
ZAR_8320	ZAAC0291	36	18	22	4	0.12	0.46		1m primary	1m c/o 0.1
ZAR_8320	ZAAC0291	36	24	27	3	0.62	1.86	1m @ 1.2g/t	1m primary	1m c/o 0.1
ZAR_8320	ZAAC0292	36	21	24	3	0.85	2.56	1m @ 2.2g/t	1m primary	1m c/o 0.1
ZAR_8320	ZAAC0293	41	37	38	1	0.22	0.22		1m primary	1m c/o 0.1
ZAR_8320	ZAAC0294	39	1	8	7	3.16	22.12	1m @ 6.58g/t, 8.7g/t, 4.9g/t	1m primary	1m c/o 0.1
ZAR_8320	ZAAC0294	39	14	17	3	0.18	0.55		1m primary	1m c/o 0.1
ZAR_8320	ZAAC0296	44	17	19	2	0.18	0.36		1m primary	1m c/o 0.1
ZAR_8320	ZAAC0297	39	20	26	6	0.24	1.46		1m primary	1m c/o 0.1
ZAR_8320	ZAAC0300	51	33	36	3	0.10	0.31		1m primary	1m c/o 0.1
ZAR_8320	ZAAC0301	47	0	1	1	0.20	0.20		1m primary	1m c/o 0.1
ZAR_8320	ZAAC0301	47	24	30	6	0.35	2.07		1m primary	1m c/o 0.1
ZAR_8320	ZAAC0448	48	3	4	1	0.37	0.37		1m primary	1m c/o 0.1

Cont...




Section_ID	Hole_ID	End of hole_m	From_m	To_m	Interval_m	Au_g/t	gxm	Including	Sample type	Int. Dilution
ZAR_8320	ZAAC0449	46	11	12	1	0.38	0.38		1m primary	1m c/o 0.1
ZAR_8320	ZAAC0449	46	20	21	1	0.10	0.1		1m primary	1m c/o 0.1
ZAR_8320	ZAAC0451	58	48	49	1	2.04	2.04		1m primary	1m c/o 0.1
ZAR_8320	ZAAC0451	58	56	58	2	0.14	0.28		1m primary	1m c/o 0.1
ZAR_8320	ZAAC0452	54	21	27	6	0.13	0.78		1m primary	1m c/o 0.1
ZAR_8320	ZAAC0452	54	29	30	1	0.42	0.42		1m primary	1m c/o 0.1
ZAR_8320	ZAAC0452	54	32	34	2	0.19	0.38		1m primary	1m c/o 0.1
ZAR_8320	ZAAC0453	51	21	23	2	0.49	0.98		1m primary	1m c/o 0.1
ZAR_Ebil02	ZAAC0456	69	0	4	4	0.16	0.64		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0456	69	16	20	4	0.13	0.52		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0457	89	0	4	4	0.14	0.56		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0458	60	48	52	4	0.17	0.68		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0460	63	16	20	4	0.10	0.4		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0460	63	52	56	4	6.13	24.52		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0461	73	44	48	4	0.10	0.4		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0461	73	64	68	4	0.49	1.96		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0463	66	16	20	4	0.13	0.52		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0465	90	56	76	20	0.15	2.96		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0467	72	32	36	4	0.12	0.48		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0467	72	60	68	8	0.29	2.28		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0469	73	24	28	4	0.13	0.52		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0470	80	44	48	4	0.16	0.64		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0473	65	20	24	4	0.10	0.4		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0474	64	52	64	12	0.11	1.32		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0475	69	0	8	8	0.12	0.92		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0475	69	40	44	4	0.40	1.6		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0475	69	52	56	4	0.14	0.56		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0476	64	0	4	4	0.18	0.72		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0476	64	24	32	8	0.16	1.24		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0477	64	44	48	4	0.44	1.76		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0478	70	36	40	4	0.10	0.4		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0478	70	64	68	4	0.24	0.96		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0479	69	28	44	16	0.11	1.76		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0480	73	24	28	4	0.19	0.76		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0480	73	64	72	8	0.11	0.84		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0482	60	12	36	24	0.15	3.64		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0484	60	0	4	4	0.10	0.4		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0485	50	0	4	4	0.40	1.6		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0486	65	32	36	4	0.10	0.4		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0487	66	48	52	4	0.27	1.08		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0488	72	0	4	4	0.12	0.48		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0488	72	68	72	4	0.10	0.4		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0489	58	32	36	4	0.19	0.76		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0489	58	52	58	6	0.18	1.06		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0490	46	16	20	4	0.10	0.4		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0491	37	16	24	8	0.88	7.04	4m @ 1.6g/t	4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0492	37	0	16	16	0.37	5.96		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0494	15	12	15	3	0.17	0.51		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0497	25	12	20	8	0.19	1.48		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0499	44	40	44	4	0.14	0.56		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0501	47	32	36	4	0.14	0.56		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0502	43	8	12	4	0.10	0.4		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0508	49	8	12	4	0.21	0.84		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0517	36	16	20	4	0.71	2.84		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0528	46	4	8	4	0.12	0.48		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0528	46	36	46	10	0.26	2.6		4m comp	4m c/o 0.1

Cont....


Section_ID	Hole_ID	End of hole_m	From_m	To_m	Interval_m	Au_g/t	gxm	Including	Sample type	Int. Dilution
ZAR_Ebil02	ZAAC0529	51	24	32	8	0.34	2.68		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0530	48	0	12	12	0.17	2		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0531	45	36	40	4	0.13	0.52		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0531	45	44	45	1	0.14	0.14		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0532	39	36	39	3	0.19	0.57		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0533	23	4	23	19	0.13	2.51		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0534	29	4	12	8	0.15	1.16		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0538	36	12	16	4	0.34	1.36		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0541	37	8	37	29	0.17	5.07		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0543	55	0	4	4	0.17	0.68		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0543	55	16	40	24	0.32	7.76		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0543	55	52	55	3	0.10	0.3		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0545	48	12	20	8	0.12	0.92		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0545	48	40	44	4	0.10	0.4		4m comp	4m c/o 0.1
ZAR_Ebil02	ZAAC0551	50	36	40	4	0.42	1.68		4m comp	4m c/o 0.1

...end


**APPENDIX 2: Additional cross-sections**



**Section ZAR\_07040**



**Section ZAR\_07520**



Section ZAR\_07680

**Notes to Editors:**

IronRidge Resources is an AIM-listed, Africa focussed minerals exploration company with a lithium pegmatite discovery in Ghana, extensive grassroots gold portfolio in Cote d'Ivoire and a potential new gold province discovery in Chad. The Company holds legacy iron ore assets in Gabon and a bauxite resource in Australia. IronRidge's strategy is to create and sustain shareholder value through the discovery and development of significant and globally demanded commodities.

**Côte d'Ivoire**

The Company entered into conditional earn-in arrangements in Côte d'Ivoire, West Africa; securing access rights to highly prospective gold mineralised structures and pegmatite occurrences covering a combined 3,584km<sup>2</sup> and 1,172km<sup>2</sup> area respectively. The projects are well located within access of an extensive bitumen road network and along strike from multi-million-ounce gold projects and mines. The Company's most advanced project is the Zaranou gold project which includes high-grade gold drilling intersections along 8km strike including 6m @ 6.44g/t gold from 132m, 6m @ 15.11g/t gold from 26m, 4m @ 5.16g/t gold from 110m and 22m @ 3.39g/t gold from 8m within a broader 47km long gold anomalous structure.

**Ghana**

The Cape Coast Lithium portfolio covers some 684km<sup>2</sup> and includes the newly discovered Ewoyaa Lithium Project with a maiden Mineral Resource estimate of 14.5Mt at 1.31% Li<sub>2</sub>O in the inferred and indicated category including 4.5Mt @ 1.39% Li<sub>2</sub>O in the indicated category (reported in accordance with the JORC Code). The Company entered into earn-in arrangements with Obotan Minerals Limited, Merlink Resources Limited, Barari Developments Limited and Joy Transporters Limited of Ghana, West Africa, securing the first access

rights to acquire the historical Egyasimanku Hill spodumene rich lithium deposit, estimated to be in the order of 1.48Mt at 1.67% Li<sub>2</sub>O and surrounding tenements. The tenure package is also prospective for tin, tantalum, niobium, caesium and gold, which occur as accessory minerals within the pegmatites and host formations.

### **Chad**

The Company entered into an agreement with Tekton Minerals Pte Ltd of Singapore concerning its portfolio covering 900km<sup>2</sup> of highly prospective gold and other mineral projects in Chad, Central Africa. IronRidge acquired 100% of Tekton including its projects and team to advance the Dorothe, Echbara, Am Ouchar, Nabagay and Kalaka licenses, which host multiple, large scale gold projects. Trenching results at Dorothe, including 84m @ 1.66g/t Au (including 6m @ 5.49g/t & 8m @ 6.23g/t), 4m @ 18.77g/t Au (including 2m @ 36.2g/t), 32m @ 2.02g/t Au (including 18m @ 3.22g/t), 24m @ 2.53g/t Au (including 6m @ 4.1g/t (including 2m @ 6.2g/t) and 2m @ 6.14g/t), 14.12g/t Au over 4m, 34.1g/t over 2m and 63.2g/t over 1m, have defined significant gold mineralised quartz veining zones over a 3km by 1km area including the steep dipping 'Main Vein' and shallow dipping 'Sheeted Vein' zones.

### **Australia**

Monogorilby is prospective for province scale titanium and bauxite, with an initial maiden resource of 54.9MT of premium DSO bauxite. Monogorilby is located in central Queensland, within a short trucking distance of the rail system leading north to the Port of Bundaberg. It is also located within close proximity of the active Queensland Rail network heading south towards the Port of Brisbane.

### **Gabon**

Tchibanga is located in south-western Gabon, in the Nyanga Province, within 10-60km of the Atlantic coastline. This project comprises two exploration licenses, Tchibanga and Tchibanga Nord, which cover a combined area of 3,396km<sup>2</sup> and include over 90km of prospective lithologies and the historic Mont Pele iron occurrence.

Belinga Sud is Located in the north east of Gabon in the Ogooue-Ivindo Province, approximately 400km east of the capital city of Libreville. IRR's licence lies between the main Belinga Iron Ore Deposit, believed to be one of the world's largest untapped reserves of iron ore with an estimated 1bt of iron ore at a grade >60% Fe, and the route of the Trans Gabonese railway, which currently carries manganese ore and timber from Franceville to the Port of Owendo in Libreville.

### **Corporate**

IronRidge made its AIM debut in February 2015, successfully securing strategic alliances with three international companies; Assore Limited of South Africa, Sumitomo Corporation of Japan and DGR Global Limited of Australia. Assore is a high-grade iron, chrome and manganese mining specialist. Sumitomo Corporation is a global resources, mining marketing and trading conglomerate. DGR Global is a project generation and exploration specialist.