

29 June 2022

**Mila Resources Plc**

(‘Mila’ or the ‘Company’)

**Positive Assay Results Returned from Stage 1 Drilling at Coffey Deposit, Kathleen Valley**

Mila Resources, the post-discovery gold exploration accelerator, is pleased to announce that further positive assay results have been received from Stage 1 drilling at the Coffey Deposit, the flagship target at the Kathleen Valley Gold Project in Western Australia (“Kathleen Valley” or the “Project”).

The objective of the drill programme is to build on the existing JORC Inferred Resource and unlock the full potential of the project, which is located in a region which hosts some of the largest gold projects in Australia and which is adjacent to Bellevue Gold’s discoveries.

**Highlights**

- Assays for the final six holes of the 11 diamond core holes drilled have now been received (Table 1)
- The laboratory assays have continued to deliver excellent results cementing Mila’s success drilling the Coffey Au-Ag-Zn Deposit (Tables 1 & 2)
- Highlights from the new results include the following intersections:
- KVRD0032 – **8.0m @ 3.22 g/t Au, 7.36 g/t Ag & 3.11% Zn** from 178.0m including:
  - **2.0m @ 4.38 g/t Au, 7.60 g/t Ag & 1.31% Zn** from 178.0m and:
  - **3.0m @ 5.38 g/t Au, 10.69 g/t Ag & 3.88% Zn** from 182.0m which includes:
    - **1m @ 13.95 g/t Au & 18.70 g/t Ag** from 184.0m
- KVDD0033 – **8.0m @ 2.91 g/t Au & 6.61 g/t Ag** from 208.0m including:
  - **3.0m @ 5.79 g/t Au & 7.40 g/t Ag** from 209.0m
- KVRD0031 – **3.65m @ 2.31 g/t Au & 2.48 g/t Ag** from 176.35m including:
  - **1.0m @ 7.28 g/t Au & 1.90 g/t Ag** from 179.0m
- KVDD0034 – **0.62m @ 3.37 g/t Au & 3.40 g/t Ag** from 235.38m
- Mila has completed 22 reverse circulation (RC) & diamond drill holes for 4,509m during Stage 1 of the drilling campaign (Table 3)
- Drilling has now defined mineralisation over a zone 200m long, 220m down dip and ranging from 2m to 10m in true thickness
- The mineralised system is open at depth and along strike as well as showing signs of additional mineralised lodes potentially developing from a structurally controlled deep feeder root zone
- Heritage & Environment Surveys completed and cleared to proceed with the fully funded Stages 2 & 3 drilling at the Coffey Deposit

**Neil Hutchison, Chief Geologist of Mila Resources, commented:**

"The assays continue to deliver excellent results with consistent high-grades and thick intersections being returned from the diamond core drilling. Our geologists in the field had shared spectacular images (below) of massive-sulphide intersections and Bellevue style veins within the modelled ore zone positions which looked similar to the previously reported high-grade intersections. The assays have now confirmed the visual observations and have demonstrated that the mineralised horizon at the Coffey Deposit is well and truly open and that it has all the right ingredients to become a substantial sized mineralised system."

**Mark Stephenson commented:**

"Armed with some very impressive results from our Stage 1 drilling, Mila will shortly be embarking on our fully funded Stage 2 and Stage 3 campaigns with the knowledge that the Coffey Deposit bears all of the geological signatures of a major new mineralised system. These latest results, which in isolation boast some very encouraging intersections, are now being assessed alongside our full suite of results from this programme and will inform a very targeted campaign combining both deeper diamond core drilling and shallower RC drilling following the strike, as we look to reveal the true resource potential of this asset."



**Left Image:** Massive sulphides were intersected from 180-184m in hole KVRD0032. High grade Ag-Zn was returned from within this zone as well as high grade Au above and below the sulphide zone.

**Right Image:** Bellevue Style Quartz-Sulphide veins within hole KVDD0033 from the zone between 209m-214m which carried high grade Au & Ag mineralisation.

#### Stage 1 Drilling Programme Overview

The assay results for the remaining six of the 11 completed diamond drill holes from the Stage 1 drilling (Table 1 and Appendix 1) have now all been received from the laboratory. The laboratory assays have continued to deliver excellent results with consistent high-grades and thick intersections supporting the previously announced results<sup>1</sup> (Table 2). With the full set of assays from the diamond core and RC drilling now in hand, the results have cemented Mila's drilling success at the Coffey Au-Ag-Zn Deposit, the flagship of the Company's Kathleen Valley Project.

The drilling at the Coffey Deposit has improved in grade and continuity, down dip of the original pre-Mila resource zone. Mila's drilling has substantially extended mineralisation, which is now defined over a zone of at least 200m long and 220m down dip, with the mineralisation ranging from 2m to 10m in true thickness (See Drill Collar Plan and Cross Section attached). The mineralisation is open at depth and along strike, with promising signs of additional mineralised lodes developing underneath the main zone at depth (see Cross Section), similar to the stacked lodes developed at the adjoining Bellevue Gold system to the south as well as other nearby gold mining operations. It is common for gold systems to have multiple lodes and form

---

<sup>1</sup> RNS-MILA: 25/05/2022 "Exceptional Assays Returned Better Than Expected Grades at Kathleen Valley"

stacked “ladder” systems emanating from a structurally controlled deep feeder root zone. Coffey is now beginning to demonstrate these traits and Mila’s geologists will seek to identify and sample these zones as the drilling tests deeper. The higher grades, wider intersections and multiple lodes (Tables 1 & 2) have the potential to add significant grade, tonnage and higher-grade ounces to the Coffey Deposit once Mila completes a new resource estimate at the end of the Stage 2 & 3 drilling campaigns.

### Heritage Survey


The Tjiwarl Aboriginal Corporation (Traditional Land Owners) have completed Heritage and Environmental surveys at Kathleen Valley, with a large area surrounding the Coffey Deposit now cleared to progress the next stages of drilling. Mila has completed rehabilitation of the finished RC and diamond drill sites and these will be reseeded with native plant species by the Tjiwarl Rangers who are a work group set up by the traditional landowners to assist with land care and indigenous employment. The Tjiwarl Rangers will also assist with the land clearing of the planned drill sites to ensure minimum land damage and flora impacts are minimised as much as practically possible. The Company is awaiting the final sign off on the Program of Works (POW) approvals from the Department of Mines, Industry, Regulation and Safety (DMIRS) to progress with the drilling works following the Heritage and Environmental approvals. Once the POW approvals are received, site works can commence in preparation for the start of Stages 2 & 3 drilling as soon as it is received.

### Stage 2 and 3 Drilling


Mila has now completed a total of 22 RC & diamond drill holes for 4,509m during Stage 1 of the drilling campaign (Table 3). Stages 2 & 3 drilling which will comprise a combination of deeper diamond core drilling and shallower along striking RC drilling as well as precollars for the diamond drilling.




Bellevue Style veins in drill core from hole KVDD0033 which returned 8.0m @ 2.91 g/t Au & 6.61 g/t Ag from 208-216m including 3.0m @ 5.79 g/t Au & 7.40 g/t Ag from 209-212m.



Plan view showing southwest corner of E36/876 and the defined Coffey Mineralised Zone with completed drill collars (black & blue dots). Planned drill holes (magenta dots) are shown within the large Heritage Cleared Zone (800m x 420m) providing sufficient room for considerable drilling and expansion of the mineralisation at Coffey.




Drill collar plan showing RC drill holes (black), Diamond drill hole (blue) and Stage 2 planned holes (magenta). The existing JORC resource zone is shown with the new mineralisation extension zone. Gold intersection bars are shown in red with reported intersection positions labelled as reported in Tables 1 & 2. Stage 2 drilling will test for NE down dip extensions at depth as well as shallower N & NW extensions along strike. Stage 3 steps out further along strike looking for new undiscovered extensions. Section A-B shown over.



3D view of the Coffey Deposit gold mineralisation (looking along strike towards the northwest).

The gold mineralisation (red) aligns in a planar body which kicks up and is open with depth as well as open to the north & northwest. RC holes are shown in black and diamond core drilling in blue.



Cross Section A-B with completed Stage 1 drill holes and Stage 2 planned holes (magenta). The Coffey Gold-Silver mineralisation is very planar as defined by the assay grades (g/t) and has addition narrow lodes developing. This may expand or merge with depth providing additional target zones. The Stage 2 drilling will target the projected high-grade extension of the mineralisation.

Table 1: Significant Intersections from Final Diamond Core Drilling at the Coffey Deposit.

Hole ID	From (m)	To (m)	Width (m)	Gold (g/t)	Silver (g/t)	Copper (%)	Zinc (%)	Sulphur (%)
<b>KVRD0029</b>	227.40	230.00	2.60	0.49	1.08	0.07	0.17	2.82
<b>KVRD0030</b>	203.00	206.00	3.00	1.12	2.32	0.02	0.35	2.37
<i>incl</i>	205.00	206.00	1.00	<b>2.37</b>	<b>2.10</b>	<b>0.03</b>	<b>0.33</b>	<b>2.94</b>
<b>KVRD0031</b>	176.35	180.00	<b>3.65</b>	<b>2.31</b>	<b>2.48</b>	0.02	0.52	3.14
<i>incl</i>	176.35	177.00	0.65	1.16	<b>9.30</b>	0.06	1.43	8.00
<i>&amp; incl</i>	179.00	180.00	<b>1.00</b>	<b>7.28</b>	<b>1.90</b>	0.03	0.49	3.85
<b>KVRD0032</b>	178.00	186.00	<b>8.00</b>	<b>3.22</b>	<b>7.36</b>	0.07	<b>3.11</b>	8.99
<i>incl</i>	178.00	180.00	<b>2.00</b>	<b>4.38</b>	<b>7.60</b>	0.05	<b>1.31</b>	4.21
<i>&amp; incl</i>	182.00	185.00	<b>3.00</b>	<b>5.38</b>	<b>10.69</b>	0.10	<b>3.88</b>	10.18
<i>which incl</i>	184.00	185.00	<b>1.00</b>	<b>13.95</b>	<b>18.70</b>	0.11	0.22	8.54
<b>And</b>	189.00	190.00	1.00	0.96	1.30	0.04	1.48	2.44
<b>KVDD0033</b>	208.00	216.00	<b>8.00</b>	<b>2.91</b>	<b>6.61</b>	0.02	0.26	2.82
<i>incl</i>	209.00	212.00	<b>3.00</b>	<b>5.79</b>	<b>7.40</b>	0.02	0.41	2.96
<b>KVDD0034</b>	235.38	236.00	<b>0.62</b>	<b>3.37</b>	<b>3.40</b>	0.18	0.03	4.04
<b>And</b>	240.00	240.50	0.50	0.68	0.90	0.03	0.09	8.30

Table 2: Previously Reported Significant Intersections from Drilling at the Coffey Deposit.

Hole ID	From (m)	To (m)	Width (m)	Gold (g/t)	Silver (g/t)	Copper (%)	Zinc (%)	Sulphur (%)
<b>KVDD0013</b>	201.26	205.40	4.14	1.04	<b>5.90</b>	0.11	0.90	8.36
<i>incl</i>	201.26	202.00	0.74	<b>3.32</b>	<b>9.16</b>	0.16	0.76	7.04
<b>And</b>	207.00	208.00	1.00	1.00	1.56	0.02	0.37	0.96
<b>KVRC0019</b>	165.00	175.00	10.00	<b>8.38</b>	<b>13.96</b>	0.03	0.89	7.61
<i>incl</i>	165.00	166.00	1.00	<b>11.08</b>	<b>19.48</b>	0.03	<b>3.09</b>	11.20
<i>&amp; incl</i>	167.00	168.00	1.00	<b>14.61</b>	<b>20.17</b>	0.03	<b>2.92</b>	11.45
<i>&amp; incl</i>	173.00	174.00	1.00	<b>11.28</b>	<b>33.48</b>	0.02	0.11	3.31
<b>KVRD0024</b>	179.00	185.00	6.00	0.88	<b>5.33</b>	0.05	0.94	8.45
<i>incl</i>	179.00	180.00	1.00	<b>2.17</b>	<b>4.20</b>	0.04	1.20	6.42
<b>KVRD0025</b>	198.00	203.00	5.00	<b>4.26</b>	<b>13.35</b>	0.03	0.12	3.56
<i>incl</i>	200.00	203.00	3.00	<b>6.90</b>	<b>21.62</b>	0.04	0.18	4.52
<i>which incl</i>	202.00	203.00	1.00	<b>13.45</b>	<b>37.70</b>	0.04	0.02	4.77
<b>KVRD0026</b>	209.40	216.00	6.60	<b>14.86</b>	<b>21.79</b>	0.04	0.81	3.77
<i>incl</i>	210.00	215.00	5.00	<b>18.94</b>	<b>28.08</b>	0.04	1.02	3.58
<i>which incl</i>	211.00	212.00	1.00	<b>27.60</b>	<b>47.50</b>	0.04	1.26	4.38
<b>KVRD0027</b>	205.00	206.00	1.00	1.08	0.80	0.04	<b>2.61</b>	3.14
<b>And</b>	215.00	225.00	10.00	1.11	<b>4.35</b>	0.09	0.28	4.28
<i>incl</i>	219.00	225.00	6.00	<b>2.26</b>	<b>7.03</b>	0.07	0.16	4.00
<i>which incl</i>	224.00	225.00	1.00	<b>4.49</b>	<b>18.40</b>	0.01	0.04	1.25
<b>And</b>	229.00	230.00	1.00	0.99	<b>2.50</b>	0.08	0.44	5.07
<b>KVRD0028</b>	189.00	191.00	2.00	0.77	0.60	0.01	0.01	0.26
<b>And</b>	194.00	198.00	4.00	0.21	<b>2.39</b>	0.03	0.38	3.79

*Table 3: Drillhole collar details (Completed by Mila)*

Hole ID	Type	Depth	Dip	Azimuth	East MGA	North MGA	RL MGA	Drill Company	Year Drilled
<b>KVDD0013</b>	DD	240.9	-60	240	258928	6946619	490.5	DrillCore	2021
<b>KVRC0014</b>	RC	180.0	-60	240	258894	6946567	487.5	Ausdrill	2021
<b>KVRC0015</b>	RC	117.0	-55	260	258845	6946545	485.4	Ausdrill	2021
<b>KVRC0016</b>	RC	129.0	-60	225	258846	6946570	486.7	Ausdrill	2021
<b>KVRC0017</b>	RC	200.0	-65	240	258904	6946605	488.9	Ausdrill	2021
<b>KVRC0018</b>	RC	150.0	-60	240	258835	6946622	488.0	Ausdrill	2021
<b>KVRC0019</b>	RC	183.0	-65	240	258856	6946635	489.0	Ausdrill	2021
<b>KVRC0020</b>	RC	177.0	-55	240	258840	6946681	488.0	Ausdrill	2021
<b>KVRC0021</b>	RC	111.0	-60	240	258773	6946647	485.6	Ausdrill	2021
<b>KVRC0022</b>	RC	147.0	-60	240	258770	6946701	487.0	Ausdrill	2021
<b>KVRC0023</b>	RC	111.0	-60	240	258736	6946682	486.0	Ausdrill	2021
<b>KVRD0024</b>	RC/DD	219.6	-62	240	258928	6946619	491.0	DrillCore	2022
<b>KVRD0025</b>	RC/DD	250.0	-70	240	258883	6946651	491.3	DrillCore	2022
<b>KVRD0026</b>	RC/DD	279.8	-68	248	258883	6946651	491.3	DrillCore	2022
<b>KVRD0027</b>	RC/DD	249.8	-72	240	258897	6946660	492.7	DrillCore	2022
<b>KVRD0028</b>	RC/DD	234.6	-62	240	258928	6946619	491.0	DrillCore	2022
<b>KVRD0029</b>	RC/DD	303.7	-72	240	258858	6946694	489.9	DrillCore	2022
<b>KVRD0030</b>	RC/DD	241.1	-72	240	258858	6946694	489.9	DrillCore	2022
<b>KVRD0031</b>	RC/DD	220.0	-62	240	258822	6946733	489.2	DrillCore	2022
<b>KVRD0032</b>	RC/DD	220.0	-62	230	258822	6946733	489.2	DrillCore	2022
<b>KVDD0033</b>	DD	234.7	-72	260	258885	6946652	491.3	DrillCore	2022
<b>KVDD0034</b>	DD	309.6	-80	240	258897	6946660	492.7	DrillCore	2022
<b>TOTAL</b>		<b>4508.8m</b>							

\*Initial 12 RC holes KVRC001-KVRC012 were drilled by Trans Pacific Energy Group during 2019-2020

#### Competent Person Statement

The information in this announcement relating to Exploration Results is based on information compiled by Neil Hutchison, who is a Technical Director of Mila Resources, and a member of The Australasian Institute of Geoscientists. Mr Hutchison has sufficient experience relevant to the style of mineralisation and type of deposit under consideration, and to the activity he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the “Australasian Code for Reporting of Exploration Results, Mineral Resource and Ore Reserves”.

Mr Hutchison consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.

**\*\*ENDS\*\***

For more information visit [www.milaresources.com](http://www.milaresources.com) or contact:

<b>Mark Stephenson</b>	info@milaresources.com
Mila Resources Plc	
<b>Jonathan Evans</b>	+44 (0) 20 7100 5100
Tavira Securities	
<b>Nick Emerson</b>	+44 (0) 20 3143 0600
SI Capital	
<b>Susie Geliher / Charlotte Page</b>	+44 (0) 20 7236 1177
St Brides Partners Limited	

Appendix 1: Complete assay intervals of mineralised zones with Significant Intersection Calculations and high-grade assays highlighted.

Hole_ID	From (m)	To (m)	Interval (m)	Au (g/t)	Ag (g/t)	Cu %	Zn %	S %
KVRD0029	224.00	225.00	1.00	0.05	0.25	0.01	0.02	0.35
	225.00	226.00	1.00	0.43	0.25	0.01	0.03	0.52
	226.00	227.40	1.40	0.01	0.25	0.02	0.07	0.76
	227.40	228.00	0.60	0.12	1.5	0.10	0.47	3.11
	228.00	229.00	1.00	0.4	0.9	0.06	0.07	2.63
	229.00	230.00	1.00	0.79	1	0.05	0.10	2.84
	230.00	231.00	1.00	0.03	0.25	0.01	0.05	0.17
	231.00	232.40	1.40	0.01	0.25	0.01	0.03	0.50
	272.00	272.86	0.86	0.01	0.25	0.02	0.02	0.47
	272.86	273.23	0.37	0.02	0.25	0.08	0.01	3.29
	273.23	274.00	0.77	0.005	0.25	0.00	0.02	0.05
	274.00	275.00	1.00	0.01	0.25	0.01	0.02	0.21
Sig Int Calc	227.40	230.00	2.60	0.49	1.08	0.07	0.17	2.82
KVRD0030	185.00	186.00	1.00	0.01	0.25	0.02	0.02	0.71
	186.00	187.00	1.00	0.005	0.25	0.02	0.02	0.49
	187.00	188.00	1.00	0.005	0.25	0.02	0.02	0.71
	188.00	189.00	1.00	0.02	0.25	0.03	0.02	0.82
	189.00	190.00	1.00	0.005	0.25	0.01	0.01	0.18
	190.00	191.00	1.00	0.005	0.25	0.03	0.02	0.59
	201.00	202.00	1.00	0.01	0.25	0.02	0.02	0.21
	202.00	202.60	0.60	0.03	0.5	0.02	0.04	0.72
	202.60	203.00	0.40	0.03	1.4	0.01	0.03	0.76
	203.00	204.00	1.00	0.98	4.6	0.02	0.68	4.02
	204.00	205.00	1.00	0.01	0.25	0.00	0.04	0.14
	205.00	206.00	1.00	2.37	2.1	0.03	0.33	2.94
	206.00	207.00	1.00	0.32	3.1	0.03	0.17	2.85
	207.00	208.00	1.00	0.05	1.9	0.06	0.07	3.72
	208.00	209.00	1.00	0.05	0.7	0.01	0.03	1.51
	209.00	210.00	1.00	0.06	0.5	0.02	0.02	1.41
Sig Int Calc	203.00	206.00	3.00	1.12	2.32	0.02	0.35	2.37
incl	205.00	206.00	1.00	2.37	2.10	0.03	0.33	2.94
KVRD0031	169.00	170.00	1.00	0.005	0.25	0.01	0.02	0.20
	170.00	171.00	1.00	0.005	0.25	0.01	0.01	0.19
	171.00	172.00	1.00	0.005	0.25	0.01	0.01	0.19
	172.00	173.00	1.00	0.005	0.25	0.02	0.02	0.31
	173.00	174.00	1.00	0.005	0.25	0.01	0.02	0.53
	174.00	175.00	1.00	0.01	0.8	0.02	0.02	1.74
	175.00	176.00	1.00	0.02	1.3	0.05	0.03	3.24
	176.00	176.35	0.35	0.33	0.9	0.03	0.05	2.32
	176.35	177.00	0.65	1.16	9.3	0.06	1.43	8.00
	177.00	178.00	1.00	0.16	0.5	0.01	0.25	1.12
	178.00	179.00	1.00	0.24	0.6	0.01	0.22	1.28
	179.00	180.00	1.00	7.28	1.9	0.03	0.49	3.85

Hole_ID	From (m)	To (m)	Interval (m)	Au (g/t)	Ag (g/t)	Cu %	Zn %	S %
	180.00	181.00	1.00	0.05	0.5	0.01	0.05	1.12
	181.00	182.00	1.00	0.02	0.7	0.02	0.04	2.02
	182.00	183.00	1.00	0.04	0.25	0.01	0.07	0.87
	183.00	184.00	1.00	0.07	0.7	0.02	0.05	0.92
	184.00	185.00	1.00	0.05	0.6	0.02	0.10	0.84
	185.00	186.00	1.00	0.08	0.5	0.01	0.04	1.43
	186.00	187.00	1.00	0.03	0.25	0.00	0.03	0.19
	187.00	188.00	1.00	0.01	0.25	0.01	0.03	0.18
	188.00	189.00	1.00	0.005	0.25	0.01	0.02	0.30
	189.00	190.00	1.00	0.005	0.25	0.01	0.03	0.41
	190.00	191.00	1.00	0.04	0.25	0.01	0.04	1.03
<b>Sig Int Calc</b>	<b>176.35</b>	<b>180.00</b>	<b>3.65</b>	<b>2.31</b>	<b>2.48</b>	<b>0.02</b>	<b>0.52</b>	<b>3.14</b>
incl	176.35	177.00	0.65	1.16	9.30	0.06	1.43	8.00
& incl	179.00	180.00	1.00	7.28	1.90	0.03	0.49	3.85
<b>KVRD0032</b>	174.00	175.00	1.00	0.14	0.5	0.02	0.45	0.85
	175.00	176.00	1.00	0.05	0.25	0.02	0.10	0.75
	176.00	177.00	1.00	0.04	0.6	0.03	0.21	1.24
	177.00	178.00	1.00	0.02	0.25	0.02	0.06	0.89
	178.00	179.00	1.00	<b>4.59</b>	<b>5.8</b>	0.05	0.06	3.30
	179.00	180.00	1.00	<b>4.16</b>	<b>9.4</b>	0.05	<b>2.57</b>	5.11
	180.00	180.50	0.50	0.02	4	0.04	<b>2.83</b>	<b>&gt;10.00</b>
	180.50	181.00	0.50	0.005	2.3	0.03	<b>6.95</b>	<b>&gt;10.00</b>
	181.00	181.50	0.50	0.005	2.3	0.03	<b>7.05</b>	<b>&gt;10.00</b>
	181.50	182.00	0.50	0.29	2	0.02	<b>3.35</b>	<b>&gt;10.00</b>
	182.00	183.00	1.00	1.22	<b>7.4</b>	0.09	<b>4.27</b>	<b>&gt;10.00</b>
	183.00	183.60	0.60	0.48	<b>5.5</b>	0.14	<b>7.97</b>	<b>&gt;10.00</b>
	183.60	184.00	0.40	1.7	<b>6.7</b>	0.07	<b>5.91</b>	<b>&gt;10.00</b>
	184.00	185.00	1.00	<b>13.95</b>	<b>18.7</b>	0.11	0.22	8.54
	185.00	186.00	1.00	0.74	<b>6.3</b>	0.11	0.52	<b>&gt;10.00</b>
	186.00	187.00	1.00	0.5	1.5	0.02	0.39	2.29
	187.00	188.00	1.00	0.04	0.8	0.01	0.14	1.50
	188.00	189.00	1.00	0.17	1.2	0.02	0.04	1.54
	189.00	190.00	1.00	0.96	1.3	0.04	1.48	2.44
	190.00	191.00	1.00	0.02	0.25	0.02	0.04	0.63
<b>Sig Int Calc</b>	<b>178.00</b>	<b>186.00</b>	<b>8.00</b>	<b>3.22</b>	<b>7.36</b>	<b>0.07</b>	<b>3.11</b>	<b>8.99</b>
incl	178.00	180.00	2.00	4.38	7.60	0.05	1.31	4.21
& incl	182.00	185.00	3.00	5.38	10.69	0.10	3.88	10.18
Which incl	184.00	185.00	1.00	13.95	18.70	0.11	0.22	8.54
And	189.00	190.00	1.00	0.96	1.30	0.04	1.48	2.44

Hole_ID	From (m)	To (m)	Interval (m)	Au (g/t)	Ag (g/t)	Cu %	Zn %	S %
<b>KVDD0033</b>	35.00	36.00	1.00	0.01	0.25	0.02	0.01	0.64
	36.00	37.00	1.00	0.005	0.25	0.01	0.01	0.44
	37.00	38.00	1.00	0.005	0.25	0.07	0.02	1.04
	38.00	39.00	1.00	0.005	0.25	0.08	0.01	1.46
	39.00	40.00	1.00	0.005	0.25	0.01	0.02	0.30
	204.00	205.00	1.00	0.005	0.25	0.02	0.02	0.58
	205.00	206.00	1.00	0.01	0.25	0.01	0.02	0.46
	206.00	206.50	0.50	0.01	0.25	0.02	0.02	0.84
	206.50	207.00	0.50	0.03	0.25	0.00	0.03	0.38
	207.00	208.00	1.00	0.06	0.9	0.02	0.17	2.58
	208.00	209.00	1.00	0.59	<b>15.6</b>	0.02	0.53	3.82
	209.00	210.00	1.00	<b>8.41</b>	<b>1.9</b>	0.03	0.32	3.13
	210.00	211.00	1.00	<b>4.64</b>	<b>8.7</b>	0.03	0.45	3.07
	211.00	212.00	1.00	<b>4.33</b>	<b>11.6</b>	0.02	0.46	2.67
	212.00	213.00	1.00	<b>2.57</b>	<b>9.7</b>	0.02	0.23	2.75
	213.00	214.20	1.20	1.07	<b>4.1</b>	0.06	0.04	5.66
	214.20	215.00	0.80	0.21	0.25	0.00	0.03	0.19
	215.00	216.00	1.00	<b>1.32</b>	0.25	0.00	0.02	0.15
<b>Sig Int Calc</b>	<b>208.00</b>	<b>216.00</b>	<b>8.00</b>	<b>2.91</b>	<b>6.61</b>	<b>0.02</b>	<b>0.26</b>	<b>2.82</b>
<b>incl</b>	<b>209.00</b>	<b>212.00</b>	<b>3.00</b>	<b>5.79</b>	<b>7.40</b>	<b>0.02</b>	<b>0.41</b>	<b>2.96</b>
<b>KVDD0034</b>	233.00	234.00	1.00	0.02	0.25	0.02	0.02	1.07
	234.00	235.38	1.38	0.04	0.25	0.02	0.03	0.96
	235.38	236.00	0.62	<b>3.37</b>	<b>3.4</b>	<b>0.18</b>	0.03	4.04
	236.00	237.00	1.00	0.05	0.25	0.00	0.04	0.31
	237.00	238.00	1.00	0.11	0.25	0.02	0.04	0.80
	238.00	239.00	1.00	0.05	0.25	0.01	0.03	0.17
	239.00	240.00	1.00	0.14	0.25	0.04	0.03	0.45
	240.00	240.50	0.50	<b>0.68</b>	0.9	0.03	0.09	8.30
	240.50	241.00	0.50	0.15	0.25	0.01	0.03	0.44
	253.00	254.00	1.00	0.03	0.25	0.02	0.02	1.77
	254.00	255.00	1.00	0.01	0.25	0.01	0.02	1.62
	255.00	256.00	1.00	0.02	0.25	0.00	0.02	0.02
	256.00	257.00	1.00	0.01	0.25	0.01	0.02	0.29
	287.00	288.00	1.00	0.005	0.25	0.02	0.01	0.65
	288.00	289.00	1.00	0.005	0.25	0.03	0.01	0.90
	289.00	290.00	1.00	0.005	0.25	0.01	0.01	0.42
	290.00	291.00	1.00	0.005	0.25	0.01	0.02	0.29
	291.00	291.50	0.50	0.005	0.25	0.01	0.02	0.31
	291.50	292.00	0.50	0.04	<b>1.1</b>	<b>0.30</b>	0.01	4.29
	292.00	293.00	1.00	0.005	0.25	0.02	0.02	0.49
	293.00	294.00	1.00	0.005	0.25	0.01	0.02	0.39
	294.00	295.00	1.00	0.01	0.25	0.07	0.02	1.53
	295.00	295.70	0.70	0.02	<b>1.9</b>	<b>0.28</b>	0.01	<b>14.55</b>
	295.70	297.00	1.30	0.005	0.25	0.03	0.02	0.85
	297.00	298.00	1.00	0.005	0.25	0.05	0.02	0.87

Hole_ID	From (m)	To (m)	Interval (m)	Au (g/t)	Ag (g/t)	Cu %	Zn %	S %
	298.00	299.00	1.00	0.005	0.25	0.04	0.02	1.29
	299.00	300.00	1.00	0.005	0.25	0.04	0.02	1.13
	300.00	301.00	1.00	0.005	0.25	0.03	0.02	0.69
	301.00	302.00	1.00	0.005	0.25	0.00	0.02	0.02
	302.00	303.00	1.00	0.04	0.25	0.01	0.02	0.19
	303.00	304.00	1.00	0.02	0.25	0.01	0.01	0.15
	304.00	305.00	1.00	0.01	0.25	0.00	0.02	0.08
	305.00	306.00	1.00	0.01	0.25	0.02	0.02	0.36
	306.00	307.00	1.00	0.005	0.25	0.01	0.02	0.11
	307.00	308.00	1.00	0.005	0.25	0.00	0.01	0.01
	308.00	309.00	1.00	0.005	0.25	0.00	0.01	0.08
	309.00	309.60	0.60	0.05	0.25	0.05	0.02	0.34
<b>Sig Int Calc</b>	<b>235.38</b>	<b>236.00</b>	<b>0.62</b>	<b>3.37</b>	<b>3.40</b>	<b>0.18</b>	<b>0.03</b>	<b>4.04</b>
<b>And</b>	<b>240.00</b>	<b>240.50</b>	<b>0.50</b>	<b>0.68</b>	<b>0.90</b>	<b>0.03</b>	<b>0.09</b>	<b>8.30</b>